

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
1885 BAR & GRILL @ VAN'S	Tavern	208 NACHES AVENUE	NACHES	4/28/2009	Routine Inspection	5/5 - Missing food worker cards.
7-ELEVEN STORE 2307-27556F	Mini-mart	1601 FRUITVALE BLVD.	YAKIMA	4/6/2009	Routine Inspection	50/56 FWCs not available, hand wash sinks improperly stocked, improperly hot holding PHF, improperly cold holding PHF
				4/20/2009	Follow-Up Inspection	0/0
A TOUCH OF EUROPE B&B	Bed & Breakfast	220 N. 16TH AVE.	YAKIMA	4/20/2009	Routine Inspection	0/0
ADAMS ELEMENTARY SCHOOL	School	1101 S. CAMAS AVE	WAPATO	4/29/2009	Routine Inspection	0/0
AGUILILLA BAKERY	Bakery	3206 MAIN ST.	UNION GAP	4/20/2009	Routine Inspection	10/10 Improper handling of pooled eggs, improper cold holding of PHF's at 49F.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ALBERTSON'S FOOD CENTER # 249	Grocery Store	1610 W. LINCOLN AVE.	YAKIMA	4/20/2009	Routine Inspection	50/50 PHF at room temperature, missing FWCs, improper cold holding PHF, chemicals unlabeled
AM/PM UNION GAP	Mini-mart	20 E. VALLEY MALL BLVD.	UNION GAP	4/6/2009	Follow-Up Inspection	0/5
AMERISTAR # 12	Mini-mart	2412 TERRACE HEIGHTS DR.	YAKIMA	4/20/2009	Routine Inspection	5/10 Missing FWC, Low Risk item - dirty food contact surface
APPLE VALLEY ELEMENTARY SCHOOL	School	7 N. 88TH AVE	YAKIMA	4/13/2009	Routine Inspection	0/0
ARAMARK CORRECTIONAL SERVICES	Jail	111 N FRONT ST.	YAKIMA	4/21/2009	Routine Inspection	15/18 Missing one FWC, unlabeled chemicals
ARCO AM/PM	Mini-mart	1850 WANETA ROAD	SUNNYSIDE	4/30/2009	Routine Inspection	25/38 Missing FWCs, improperly stocked hand wash sinks, improper pesticide storage
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	4/27/2009	Routine Inspection	0/0
BALLESTERI'S COFFEE HOUSE	Espresso Stand	4001 SUMMITVIEW AVE. # 3	YAKIMA	4/2/2009	Routine Inspection	30/43 - 3 food worker cards needed, bare hand contact with food, no paper towels at hand wash sink in the kitchen.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BANGERS GOURMET DOGS & SAUSAGES	Deli/Catering	209 NACHES AVE.	NACHES	4/28/2009	Routine Inspection	0/0
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	4/30/2009	Routine Inspection	0/0
BASKIN-ROBBINS	Ice Cream Parlor	816 SUMMITVIEW AVE.	YAKIMA	4/2/2009	Routine Inspection	5/5 - Missing some food worker cards.
BASKIN-ROBBINS # 4314 - SO. 1ST STR.	Ice Cream Parlor	1505 S. 1ST STREET	YAKIMA	4/10/2009	Routine Inspection	20/28 Ice scoop handle contacted the ice, Missing one FWC
BIG CHEESE PIZZA	Restaurant	2204-C W NOB HILL BLVD.	YAKIMA	4/1/2009	Routine Inspection	10/10 Improper cold holding of PHF's. Soap and paper towel dispense at 3-compartment sink need to come down.
BIG RED'S DINER	Restaurant	110 S. HOLLY DR.	MOXEE	4/28/2009	Routine Inspection	15/23 Improperly stocked hand wash sink, raw meat stored above RTE foods
BON VINOS BISTRO & BAKERY	Restaurant/Catering	122 16TH ST N	SUNNYSIDE	4/29/2009	Routine Inspection	10/17 Unlabeled chemicals and chemicals stored above clean dishes
BREWED AWAKENINGS	Espresso Stand	402 S 4TH AVENUE	YAKIMA	4/8/2009	Routine Inspection	5/10 Milk 42 F in small refrigerator

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BREWS & CUES	Tavern	104 S 2ND STREET	YAKIMA	4/8/2009	Routine Inspection	25/33 Missing one FWC, Improperly stocked hand wash sink, unlabeled chemical, menu has increased without approval, see Dave if there are questions
C.J.'S PIZZA, VIDEO & ESPRESSO	Restaurant/Catering	108 E. MOXEE AVE. # 1	MOXEE	4/28/2009	Routine Inspection	10/10 Chemicals stored above clean dishes, storing RAID pest spray
CAMAS ELEMENTARY SCHOOL	School	910 S. CAMAS	WAPATO	4/29/2009	Routine Inspection	0/5 Dish washer was not properly sanitizing. Food service director contacted regarding this issue.
CASA DEL SOL RESTAURANTE	Restaurant/Lounge	1010 N. 1ST STREET	YAKIMA	4/7/2009	Routine Inspection	0/0
CASA MIA OF YAKIMA	Restaurant/Catering	3312 W. NOB HILL BLVD.	YAKIMA	4/24/2009	Routine Inspection	25/35 Container without handle used for ice machine, unlabeled chemical
CHANDLER'S CONOCO	Mini-mart	1201 BAILEY AVENUE	GRANGER	4/9/2009	Routine Inspection	10/15 PIC requirement not met, inaccurate thermometer, Low Risk item: no sanitizer present.
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	4/29/2009	Routine Inspection	0/0
CHINA GROVE	Restaurant	3210 PICARD PLACE	SUNNYSIDE	4/29/2009	Routine Inspection	90/120 Missing FWCs, ice scoop for ice machine stored in ice, improper storage of bowl on cooked rice in cooker, raw meats stored above RTE foods, improperly cooling phf, phf stored at room temperature

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	4/29/2009	Routine Inspection	35/43 Missing FWCs, phf stored at room temperature, metal stem thermometer dial not visible
COCINA JALICIENSE	Commissary	709 E. NOB HILL BLVD.	YAKIMA	4/24/2009	Routine Inspection	10/10 Handwash sink missing soap.
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	4/15/2009	Routine Inspection	0/5
COUNTRY ROCK CAFE	Restaurant	216 NACHES AVE.	NACHES	4/28/2009	Routine Inspection	0/0
CREATIVE HEALTH OPTIONS	Serving Site	1510 S. 36TH AVE.	YAKIMA	4/2/2009	Routine Inspection	0/5
CRUISIN COFFEE - NOB HILL	Espresso Stand	3202 W. NOB HILL BLVD.	YAKIMA	4/6/2009	Routine Inspection	10/10 Milk 48 F in one refrigerator.
CURLEY'S BAR & GRILL	Tavern	111 N. GLEED RD.	GLEED	4/28/2009	Routine Inspection	5/5 - Missing some food worker cards.
DING HO CHINESE FOOD	Restaurant/Lounge	1502 W. WASHINGTON AVE.	YAKIMA	4/22/2009	Routine Inspection	5/20 Missing FWC's, refrigerators missing thermometers.
DYKSTRA	Restaurant/Catering	114 BIRCH AVE.	GRANDVIEW	4/22/2009	Routine Inspection	15/15 Unlabeled chemical, raw meats stored above RTE foods

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EATON HILL WINERY	Winery	530 GURLEY RD	GRANGER	4/10/2009	Routine Inspection	5/5 inaccurate thermometers.
EL CHARRITO	Restaurant/Catering	120 E. TOPPENISH AVE.	TOPPENISH	4/9/2009	Routine Inspection	0/10 Bucket being stored inside ice machine, ice is for human consumption, wiping rags improperly stored.
EL CONQUISTADOR MEXICAN RESTAURANT	Restaurant/Catering	612 E. EDISON AVE.	SUNNYSIDE	4/3/2009	Routine Inspection	15/15 Expired food worker card, raw meats stored above RTE foods, improper cold holding.
EL GRULLENSE RESTAURANT & TAQUERIA #2	Restaurant	1514 S 1ST ST	YAKIMA	4/22/2009	Routine Inspection	75/75 PIC did not demonstrate basic food safety knowledge, expired FWC's, improper cooling of PHF's, improper reheating of PHF's, inaccurate thermometer. Follow-up required.
EL JALICIENCE	Mobile	608 E. Nob Hill Blvd. Yakima	YAKIMA	4/24/2009	Routine Inspection	25/25 PIC unable to correctly answer questions on proper hot holding, BHC with RTE foods, no metal stem thermometer.
EL MEJOR TAQUITO	Mobile	821 Yakima Valley HWY Sunnyside	SUNNYSIDE	4/7/2009	Routine Inspection	0/0 No problems observed. Mobile is very clean.
EL RANCHERO 2	Restaurant/Lounge	306 S. 1ST ST.	YAKIMA	4/6/2009	Routine Inspection	65/75 PIC unable to correctly answer basic food safety questions, BHC with RTE foods, handwashing sink did not have soap or paper towels, improper cooling of PHF's, no sanitizer, ice machine leaks water. Follow-up required.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ELI & KATHY'S FAMILY RESTAURANT	Restaurant	813 WINE COUNTRY ROAD	GRANDVIEW	4/9/2009	Follow-Up Inspection	0/0
ESTUDILLO'S FOOD STORES	Grocery Store	2601 SHELLER RD	SUNNYSIDE	4/7/2009	Routine Inspection	0/15 Labels missing on repackaged cheese, need 3 compartment sink.
FAMOUS BURGER & TERIYAKI SANDWICH	Restaurant	401 W. LINCOLN AVE.	YAKIMA	4/7/2009	Routine Inspection	5/5 Consumer advisory needed on menu.
FLIPPER'S FRESH WATER	Mobile		YAKIMA	4/20/2009	Routine Inspection	0/0
GARFIELD ELEMENTARY SCHOOL	School	505 MADISON AV	TOPPENISH	4/27/2009	Routine Inspection	0/0
GASPERETTI'S	Restaurant/Catering	1013 N 1ST ST.	YAKIMA	4/30/2009	Routine Inspection	15/15 - Improper container stored in ice machine.
GEORGE'S WOK & GRILL	Restaurant	1210 S. 80TH AVE.	YAKIMA	4/21/2009	Routine Inspection	15/20 Missing FWCs, Blocked handwash sink
GILBERT CELLARS TASTING ROOM	Winery	5 N. FRONT STREET	YAKIMA	4/17/2009	Routine Inspection	0/0
GILBERT ELEMENTARY SCHOOL	School	4108 RICHEY RD	YAKIMA	4/30/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	4/21/2009	Routine Inspection	100/113 Handwash sink improperly stocked and blocked, improperly hot holding phf, phf stored at room temperature, improperly cooling phf, improper cold holding
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST	YAKIMA	4/28/2009	Routine Inspection	70/75 Missing FWCs, improperly stocked hand wash sink, improperly cooling phf, improperly hot holding phf
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	4/17/2009	Follow-Up Inspection	70/75 PIC did not answer correctly, no soap at hand wash sink, cooling phf improperly, missing documentation and procedures for time as a control for phf
GRANDVIEW MARKET	Mini-mart	100 E. WINE COUNTRY RD.	GRANDVIEW	4/30/2009	Routine Inspection	0/5
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	4/20/2009	Routine Inspection	0/0
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	4/20/2009	Routine Inspection	0/5
GRIZZLY ESPRESSO	Espresso Stand	3602 FRUITVALE BLVD	YAKIMA	4/7/2009	Routine Inspection	0/0 No problems.
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	4/29/2009	Routine Inspection	0/0
HIGHLAND HIGH SCHOOL	School	17000 SUMMITVIEW	COWICHE	4/23/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAH	4/24/2009	Routine Inspection	0/0
JALPITAS TACOS	Mobile		YAKIMA	4/30/2009	Routine Inspection	0/0
JAVA HEAVEN	Espresso Stand	212 W WALNUT	YAKIMA	4/15/2009	Routine Inspection	5/5 - Some food worker cards need to be updated.
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	4/16/2009	Routine Inspection	0/0
KENTUCKY FRIED CHICKEN	Restaurant	107 S 5TH AVE.	YAKIMA	4/14/2009	Routine Inspection	5/5 Cheese cold holding at 44F.
				4/20/2009	Routine Inspection	25/28 Improper hot holding of PHF's at 120F.
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	4/17/2009	Routine Inspection	65/96 Missing FWCs, bare hand contact with RTE food, improperly stocked hand wash sinks, phf at room temperature, unlabeled chemicals
KIRKWOOD ELEMENTARY SCHOOL	School	403 S. JUNIPER	TOPPENISH	4/27/2009	Routine Inspection	0/0
LA CASITA	Restaurant	3206 MAIN STREET	UNION GAP	4/3/2009	Routine Inspection	Vending food to the public at Borton Fruit. License nor facilities are approved for this practice. License is temporarily suspended until an office conference is performed and opening is approved.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA ESPIGA DE ORO BAKERY	Bakery	803 W NOB HILL BLVD	YAKIMA	4/9/2009	Routine Inspection	5/5 Missing FWC
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	4/9/2009	Routine Inspection	5/10m Raw meats stored above RTE foods, foods in permeable containers stored on the ground.
LATTE' DA	Espresso Stand	6301 AHTANUM RD	YAKIMA	4/1/2009	Routine Inspection	0/5 Wiping cloths were not being stored in sanitizer bucket.
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	4/8/2009	Routine Inspection	0/0
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	4/27/2009	Routine Inspection	0/0
LITTLE CAESARS	Restaurant	2010 YAKIMA VALLEY HWY. # A-2	SUNNYSIDE	4/30/2009	Routine Inspection	5/10 Missing FWC
LOTUS CHINESE RESTAURANT	Restaurant	901 W. 1ST AVENUE	TOPPENISH	4/24/2009	Routine Inspection	30/43 inaccurate thermometer, missing consumer advisory, improper storage of chemicals. (recalled foods collected - see report in imaging)
LUCKY FOOD MART	Mini-mart	226 W. WINE COUNTRY RD.	GRANDVIEW	4/15/2009	Follow-Up Inspection	25/25 Hot holding improperly
				4/30/2009	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
M & J TAVERN	Tavern	110 W. WINE COUNTRY RD.	GRANDVIEW	4/22/2009	Routine Inspection	25/37 Improper hand washing technique, improperly stocked hand wash sink
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	4/27/2009	Routine Inspection	5/13 inaccurate thermometer, improperly dispensed food contact utensils, dish washer was not sanitizing properly
MANY'S MARKET	Mini-mart	811 W. MEAD	YAKIMA	4/24/2009	Routine Inspection	15/20 Improperly stocked hand wash sink, missing FWC
MARCUS WHITMAN COWICHE ELEMENTARY SCHOOL	School	1181 THOMPSON RD	COWICHE	4/23/2009	Routine Inspection	5/10 inaccurate thermometer, dishwasher was not sanitizing properly.
MC DONALD'S OF SUNNYSIDE	Restaurant	2200 YAKIMA VLY HWY	SUNNYSIDE	4/30/2009	Routine Inspection	30/32 Missing FWCs, ice scoop handle contacted ice, improper chemical storage
MERCEDES AND FAM.	Restaurant	5603 TIETON DRIVE	YAKIMA	4/24/2009	Routine Inspection	15/15 Expired FWC's, PHF's cold holding at 55F.
MOULIN BREW	Espresso Stand	2412 S. 1ST STREET	YAKIMA	4/8/2009	Routine Inspection	0/5
MOXEE MARKET	Grocery Store	105 ILER	MOXEE	4/28/2009	Routine Inspection	0/5
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	4/15/2009	Routine Inspection	5/5 inaccurate thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	4/15/2009	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	4/15/2009	Routine Inspection	0/0
NOB HILL MINI MART & SMOKE SHOPPE	Mini-mart	814 W NOB HILL BLVD	YAKIMA	4/24/2009	Routine Inspection	25/37 Missing FWC, Improperly stocked hand wash sinks, Improperly hot holding phf, inaccurate metal stem thermometer
OZEKI RESTAURANT	Restaurant	1527 SUMMITVIEW AVE.	YAKIMA	4/21/2009	Routine Inspection	0/0
PABLITO'S PIZZA	Restaurant	501 W 1ST AVE.	TOPPENISH	4/20/2009	Routine Inspection	5/5 Expired FWC's.
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	4/29/2009	Routine Inspection	0/0
PALETERIA LA NORTENA	Ice Cream Parlor	200 NORTH AV	SUNNYSIDE	4/17/2009	Routine Inspection	0/0
PIK A POP # 14	Mini-mart	3602 TIETON DR	YAKIMA	4/24/2009	Routine Inspection	30/42 Missing FWCs, improperly stocked hand wash sinks, unlabeled chemical, inaccurate metal stem thermometer
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	4/29/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT # 46022	Restaurant/Cateri ng	6 N. FAIR AVE. # 115	YAKIMA	4/7/2009	Routine Inspection	5/5 - Several food worker cards needed.
RANCH HOUSE RESTAURANT	Restaurant	8807 AHTANUM RD	YAKIMA	4/13/2009	Routine Inspection	50/60 Cooling food improperly, no metal stem thermometer available, using cup for scooping ice.
RESTAURANT COLIMA	Restaurant	1501 YAKIMA VALLEY HWY.	SUNNYSIDE	4/7/2009	Routine Inspection	30/30 Missing food worker cards, soup being stored out at room temperature.
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	4/8/2009	Routine Inspection	0/8 Low risk items: broken thermometer in milk refrigerator, in-between use utensils improperly stored.
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	4/20/2009	Routine Inspection	5/5 Hot held PHF slightly below required 140 degrees.
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	4/20/2009	Routine Inspection	0/0
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	4/20/2009	Routine Inspection	0/0
RUSSILLO'S PIZZA & GELATO	Restaurant/Loung e	1 W. YAKIMA AVE. # 8	YAKIMA	4/24/2009	Routine Inspection	35/35 Bare hand contact with RTE foods, hand wash sink blocked, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAFEWAY # 1593	Grocery Store	610 E. WINE COUNTRY RD.	GRANDVIEW	4/22/2009	Routine Inspection	20/20 Missing FWCs, raw meats stored above RTE foods, improper chemical storage
SAFEWAY # 1660	Grocery Store	905 E. MEAD	YAKIMA	4/15/2009	Routine Inspection	75/80 Improper hot holding, PHF at room temperature, improper cold holding, blocked hand wash sink, missing FWCs
SAFEWAY # 502	Grocery Store	5702 SUMMITVIEW AVE.	YAKIMA	4/27/2009	Routine Inspection	10/12 Improperly stocked hand wash sinks
SALON NAVARRO	Commissary	548 S 6TH ST.	SUNNYSIDE	4/17/2009	Routine Inspection	0/0 Two mobiles will use this kitchen starting late May-September.
SCOTTY'S DELI	Mini-mart	620 N. 16TH AVE.	YAKIMA	4/27/2009	Routine Inspection	5/21 Missing FWCs
SELAH SAVE-ON-FOODS	Grocery Store	800 NORTH PARK CENTRE	SELAH	4/22/2009	Routine Inspection	5/5 - Some workers need food worker cards posted.
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	4/29/2009	Routine Inspection	0/0
SILVER CREEK BAR & GRILL	Tavern	108 ILER ST.	MOXEE	4/28/2009	Routine Inspection	15/18 Raw meat stored above RTE food, unlabeled chemicals
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	4/21/2009	Routine Inspection	55/70 Improper use of gloves, improperly stocked hand wash sinks, raw meats above RTE foods, improperly hot holding phf
SNYDER'S BAKERY	Bakery	31 N 4TH AVE.	YAKIMA	4/14/2009	Routine Inspection	0/0 No problems

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SPORTS CENTER LOUNGE	Tavern	108 DIVISION ST.	GRANDVIEW	4/9/2009	Routine Inspection	25/33 PIC not knowledgeable, missing FWCs, no paper towels at hand wash sink
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	4/22/2009	Routine Inspection	0/0
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	4/17/2009	Routine Inspection	0/0
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	4/13/2009	Routine Inspection	25/37 Missing FWC, no hot water at restrooms, chemical unlabeled.
STARBUCKS COFFEE # 9860	Espresso Stand	2409 S 1ST ST	YAKIMA	4/27/2009	Routine Inspection	15/15 Missing FWCs, one hand wash sink was blocked.
STUART ANDERSON'S BLACK ANGUS RESTAURANT	Restaurant	501 N FRONT ST.	YAKIMA	4/8/2009	Follow-Up Inspection	25/25 Hot holding prime rib 90 F - 105 F at steam table
SUBWAY # 13437	Restaurant	103 1ST ST N	SELAH	4/2/2009	Routine Inspection	5/5 - Missing some food worker cards.
SUBWAY # 27775	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	4/13/2009	Routine Inspection	5/5 Missing two FWCs
SUBWAY # 4468	Restaurant	2810 E. LINCOLN AVE.	SUNNYSIDE	4/29/2009	Routine Inspection	20/25 Improperly stocked hand wash sink, improper storage of chemicals

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUMMITVIEW ELEMENTARY SCHOOL	School	6305 W. CHESTNUT	YAKIMA	4/15/2009	Routine Inspection	0/0
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	4/29/2009	Routine Inspection	0/0
SUNNY MARKET	Mini-mart	708 N. 5TH AVE.	YAKIMA	4/14/2009	Routine Inspection	5/5 - Missing food worker card.
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	4/30/2009	Routine Inspection	35/38 Improperly hot holding phf, improperly stocked hand wash sinks
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	4/29/2009	Routine Inspection	0/5
TACO BORRACHO RESTAURANT	Restaurant	1510 SUMMITVIEW AV	YAKIMA	4/28/2009	Routine Inspection	10/10 Handwashing sink missing paper towels
TACO KING	Mobile	615 YAKIMA VALLEY HWY.	SUNNYSIDE	4/2/2009	Routine Inspection	35/35 FWCs missing, improper cooling of PHF.
TACO TIME	Restaurant	1020 S 16TH AVE.	YAKIMA	4/24/2009	Routine Inspection	45/48 Improperly cooling phf, bare hand contact with RTE
TACOS COLIMAN	Mobile - Seasonal	1121 FRUITVALE BLVD.	YAKIMA	4/17/2009	Routine Inspection	15/15 Expired FWC, improper cold holding of lunch meats at 57F.
TACOS EL REY	Restaurant	1218 S. 6TH STREET	YAKIMA	4/24/2009	Routine Inspection	10/15 Deli refrigerator cold holding PHF's at 55F, warewashing sink being used as a food preparation sink.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS MICHOACAN	Mobile	Monson Fruit 252 N. Rushmore Road	SELAH	4/22/2009	Routine Inspection	40/40 - No running water on the mobile unit and cooling on the mobile unit. Temporarily closed for about 2 hours until the water was fixed.
TAQUERIA EL ESCORPION	Mobile	Across from main CPC warehouse in Tieton 902 NACHES AVE., TIETON	TIETON	4/23/2009	Routine Inspection	0/5 no sanitizer available. Still using CPC restroom but another bathroom is available closer to mobile which would allow seating. This bathroom needs water before it will be approved.
TAQUERIA MEXICANA	Restaurant	105 1/2 S ALDER ST	TOPPENISH	4/9/2009	Routine Inspection	0/0 No problems
TARGET STORES T- 760	Snack Bar	12 N FAIR AVE.	YAKIMA	4/27/2009	Routine Inspection	10/10 Missing FWCs, Improperly cold holding phf
TECAMPANA	Ice Cream Parlor	9-A S. TOPPENISH AVENUE	TOPPENISH	4/20/2009	Routine Inspection	10/10 Handwash sink had items in it.
TEQUILA'S MEXICAN RESTAURANT	Restaurant	1 W. YAKIMA AVE. # 34	YAKIMA	4/27/2009	Routine Inspection	10/17 PIC did not answer correctly, Missing FWCs
TERIYAKI EXPRESS	Restaurant	2695 E. LINCOLN	SUNNYSIDE	4/29/2009	Routine Inspection	40/45 Hand wash sink was blocked, raw meat stored above ready to eat foods, phf stored at room temperature
THE DEPOT RESTAURANT & LOUNGE	Restaurant/Cateri ng	32 N. FRONT ST. # 103	YAKIMA	4/15/2009	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE	4/29/2009	Routine Inspection	70/82 Missing FWCs, improperly hot holding phf, phf stored at room temperature, inaccurate metal stem thermometer, unlabeled chemicals
TIENDA DEL PUEBLO	Grocery Store	530 FRANKLIN AVE.	SUNNYSIDE	4/17/2009	Routine Inspection	30/30 Missing FWC's, BHC with RTE foods, farm fresh eggs in the facility.
TIENDA LA TAPATIA	Grocery Store	802 W. 1ST AVE.	TOPPENISH	4/20/2009	Routine Inspection	5/15 Improper hot holding of PHF's at 135F, unlabeled foods, floor bag stored on ground.
TIETON MIDDLE SCHOOL	School	711 FRANKLIN RD	TIETON	4/23/2009	Routine Inspection	0/0
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	4/27/2009	Routine Inspection	0/0
TOWN PUMP & PANTRY	Mini-mart	8101 WIDE HOLLOW RD	YAKIMA	4/21/2009	Routine Inspection	5/13 - no current food worker cards available and 3-comp sink not draining properly.
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	4/15/2009	Follow-Up Inspection	45/53 Missing one FWC, blocked hand wash sink, improper hot holding, inaccurate metal stem thermometer
UNION GAP MIDDLE SCHOOL	School	3200 2ND STREET	UNION GAP	4/29/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
VALLEY LANES CAFE	Restaurant	1802 E EDISON AVE.	SUNNYSIDE	4/30/2009	Routine Inspection	30/30 Missing FWC, improperly stocked hand wash sink, inaccurate metal stem thermometer, improperly stored chemicals
VALLEY VIEW ELEMENTARY	School	515 ZILLAH AVE	TOPPENISH	4/27/2009	Routine Inspection	0/0
VICTORIA CONTENINTAL	Restaurant/Catering	5605 TIETON DR.	YAKIMA	4/15/2009	Follow-Up Inspection	0/0
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	4/29/2009	Routine Inspection	0/0
WAPATO MIDDLE SCHOOL	School	505 DOVE LANE	WAPATO	4/29/2009	Routine Inspection	0/0
WEST VALLEY JUNIOR HIGH	School	7507 ZIER RD.	YAKIMA	4/23/2009	Routine Inspection	0/0
WEST VALLEY MIDDLE SCHOOL	School	1500 S. 75TH AVE	YAKIMA	4/23/2009	Routine Inspection	0/0
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	4/16/2009	Routine Inspection	0/5 not using an appropriate sanitizer
WIDE HOLLOW ELEMENTARY SCHOOL	School	1000 S. 72ND AVE	YAKIMA	4/13/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	4/28/2009	Routine Inspection	80/93 Missing FWC, blocked hand wash sink, improperly cooling phf, phf stored at room temperature, unlabeled chemical
WRAY'S FOOD & DRUG	Grocery Store	5605 SUMMITVIEW	YAKIMA	4/30/2009	Routine Inspection	15/23 - Several food worker cards needed, no paper towels at handwash sink in meat department, handwash sink not accessible in the espresso.
YAKIMA COUNTRY CLUB	Restaurant	500 COUNTRY CLUB	YAKIMA	4/23/2009	Routine Inspection	15/23 - Bare hand contact with ready-to-eat food.
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	4/24/2009	Routine Inspection	0/5
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	4/24/2009	Routine Inspection	0/0
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	4/24/2009	Routine Inspection	0/0
ZIRKLE FRUIT COMPANY	Restaurant	352 HARRISON	SELAH	4/22/2009	Routine Inspection	25/25 - eggs on counter at 62 degrees.