

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
1,2,3 BEEF BOWL	Restaurant	8 N 7TH AVE.	YAKIMA	5/22/2009	Routine Inspection	55/68 Missing FWC, PHF at RTS, improper storage of chemicals, hands not properly washed
3 RIVERS LAND & SEA FOOD CO.	Mobile	1917 RD. 34 PASCO, WA		5/13/2009	Routine Inspection	0/0
7-ELEVEN #2362-19305A	Mini-mart	120 N. 1ST STREET	SELAH	5/5/2009	Routine Inspection	0/0
A C DAVIS HIGH SCHOOL	School	212 S. 6TH AVE	YAKIMA	5/6/2009	Routine Inspection	0/3 improperly stored in-use utensil
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	5/22/2009	Routine Inspection	0/0
AHTANUM FOOD MART (2)	Mini-mart	207 AHTANUM RD.	UNION GAP	5/19/2009	Routine Inspection	45/68 Missing FWCs, PIC does not have FWC, breakfast burritos from unknown source, improperly stocked hand wash sink, improper storage of chemicals, using food prep sink to wash dishes - three compartment sink is blocked.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AHTANUM GENERAL STORE	Mini-mart	8301 AHTANUM	YAKIMA	5/6/2009	Routine Inspection	5/5 Missing FWCs
AHTANUM VALLEY ELEMENTARY SCHOOL	School	3006 S WILEY	YAKIMA	5/8/2009	Routine Inspection	5/5 - improper hot holding temperatures.
ALBERTSON'S FOOD CENTER # 249	Grocery Store	1610 W. LINCOLN AVE.	YAKIMA	5/22/2009	Follow-Up Inspection	60/65 Refrigeration 48 F at ends of deli island refrigerator, no hand washing within 25 feet of demonstrator seafood portable booth, improperly hot holding PHF, improper chemical storage, inaccurate thermometer
				5/27/2009	Compliance Inspection	35/35 Ham sandwiches at RTS, improperly stocked hand wash sink
ALFONSO'S RESTAURANT	Restaurant	108 W. 3RD. STREET	WAPATO	5/22/2009	Follow-Up Inspection	15/20 BHC with RTE foods, improperly made sanitizer.
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	5/27/2009	Routine Inspection	0/0
B.J.'S GET & GO	Mini-mart	3101 MAIN STREET	UNION GAP	5/27/2009	Routine Inspection	25/40 Improperly stocked hand wash sink, dirty glass on metal stem thermometer, improper chemical storage
BASKIN ROBBINS (MOBILE)	Mobile	816 SUMMITVIEW AND YAKIMA SUN DOME(INSIDE)	YAKIMA	5/30/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BLACK ROCK CREEK SNACK BAR	Snack Bar	31 RAY RD	SUNNYSIDE	5/7/2009	Routine Inspection	15/15 - Ice scoop improperly stored.
BODEGA YAKIMEX	Grocery Store	511 N 1ST ST.	YAKIMA	5/18/2009	Routine Inspection	25/33 Missing FWCs, inadequate handwashing station, Improper cold holding of PHF, Low Risk items: potential food contamination, poor cleanliness/organization
CAFE AMORE	Espresso Stand	14 N. 7TH AVE	YAKIMA	5/8/2009	Routine Inspection	10/15 No hot water at the restroom hand wash sink.
CARNICERIA COALCOMAN	Meat Market	229 DIVISION ST.	GRANDVIEW	5/14/2009	Follow-Up Inspection	0/0 They have corrected all theh problems from the previous inspection.
				5/14/2009	Follow-Up Inspection	They have corrected problems from previous inspection.
CATHOLIC FAMILY & CHILD SERVICE	Espresso Stand	5301 TIETON DR. SUITE "C"	YAKIMA	5/28/2009	Routine Inspection	0/0
CHINA BUFFET	Restaurant	2600 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	5/11/2009	Routine Inspection	25/35 Missing FWCs, Blocked hand wash sink, unlabeled chemical and improper storage of chemicals
CHINA GROVE	Restaurant	3210 PICARD PLACE	SUNNYSIDE	5/13/2009	Follow-Up Inspection	30/30 Chicken improperly cooling
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	5/13/2009	Follow-Up Inspection	0/5
CHRISTIE'S CAKES	Bakery	1624 27TH AV S	YAKIMA	5/20/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	5/27/2009	Routine Inspection	0/0
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	5/27/2009	Routine Inspection	0/0
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	5/6/2009	Routine Inspection	0/0
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	5/18/2009	Routine Inspection	0/0
EAGLE HIGH SCHOOL	School	141 WARD RD	TOPPENISH	5/13/2009	Routine Inspection	0/0
EAGLE LANES SNACK BAR	Snack Bar	307 1/2 W. CHESTNUT	YAKIMA	5/15/2009	Routine Inspection	5/15 Missing FWCs
EISENHOWER CADET CAFE	Snack Bar	702 S. 40TH AVE.	YAKIMA	5/6/2009	Routine Inspection	10/10 moldy bagels
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	5/14/2009	Routine Inspection	50/50 - No food worker cards available, bare hand contact with ready-to-eat food, and improper cooling.
EL PORVENIR	Bakery	209 S. TOPPENISH AVE.	TOPPENISH	5/5/2009	Routine Inspection	10/15 missing FWCs, improper refrigeration of PHF, No sanitizer in kitchen.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ELECTRIC BEACH TANNING & ESPRESSO	Espresso Stand	318 7TH ST S	SUNNYSIDE	5/18/2009	Routine Inspection	15/22 Missing one FWC, unlabeled chemicals
FRANKLIN MIDDLE SCHOOL	School	410 S. 19TH AVE	YAKIMA	5/20/2009	Routine Inspection	0/0
FREDDY'S CUSTOM MEAT SHOP & PRODUCE	Deli	8308 AHTANUM RD	YAKIMA	5/8/2009	Routine Inspection	0/0
FUENTES DE FRUTAS	Juice Bar	12 1/2 E. WASHINGTON AVE. # 1	YAKIMA	5/6/2009	Routine Inspection	10/10 Improper cold holding of PHF
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	5/20/2009	Routine Inspection	0/0
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	5/6/2009	Follow-Up Inspection	50/60 Improperly hot holding phf, phf stored at room temperature, improper chemicals stored
				5/20/2009	Compliance Inspection	65/75 Improperly cooling rice, improper use of time as control, missing FWC, incorrect answers from PIC
				5/26/2009	Compliance Inspection	45/50 Missing documentation for time as a control, improperly cold holding PHF, PIC answered incorrectly, missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOLDEN PHEASANT RESTAURANT	Restaurant	632 EDISON AVE	SUNNYSIDE	5/7/2009	Routine Inspection	80/103 Missing FWC, BHC with RTE foods, improperly stocked hand wash sink, moldy food in refrigerator, raw meat stored above RTE foods, improper storage of chemicals, PHF stored at room temperature.
				5/28/2009	Follow-Up Inspection	0/0
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	5/4/2009	Compliance Inspection	55/55 No procedures available for time as a control, improperly cooling phf
				5/11/2009	Compliance Inspection	0/5
GUERRA'S DELI & CAFE	Deli/Catering	2010 YAKIMA VALLEY HWY. SP# 20	SUNNYSIDE	5/18/2009	Routine Inspection	5/10 Missing one FWC
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	5/4/2009	Routine Inspection	0/0
HOMESTRETCH ESPRESSO & BEVERAGE	Espresso/Catering	2890 ALLEN RD.	SUNNYSIDE	5/13/2009	Routine Inspection	0/5
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	5/20/2009	Routine Inspection	0/0
HUMMINGBIRD CAFE	Restaurant/Catering	3 W. YAKIMA AVENUE # 1	YAKIMA	5/26/2009	Routine Inspection	5/5 - improper hot holding temperatures.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
IMPERIAL FOOD MARKET	Mini-mart	604 S. 3RD ST.	YAKIMA	5/8/2009	Routine Inspection	20/30 Missing FWC, cold holding milk at 43 F
JACK'S PLACE CAFE	Restaurant	3060 BROWNSTOWN RD.	BROWNSTOWN	5/29/2009	Routine Inspection	30/35 BHC with RTE, inadequate hand wash sinks, improper thermometer, no sanitizer available at food prep site.
J'S ASIAN FLAMING GRILL III	Restaurant	606 S 36TH AVE	YAKIMA	5/13/2009	Routine Inspection	60/70 Missing one FWC, food worker rinsed her hands with water before returning to work, hand wash sink near the three compartment sink was blocked and did not have towels, improperly cooling chicken
				5/20/2009	Follow-Up Inspection	0/0
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	5/7/2009	Follow-Up Inspection	10/23 Missing FWCs, raw meat stored above RTE foods
				5/26/2009	Compliance Inspection	0/0
KP'S DELIVERY SERVICE	Mobile		YAKIMA	5/11/2009	Routine Inspection	0/0
				5/11/2009	Routine Inspection	0/0
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	5/28/2009	Routine Inspection	90/100 PIC requirement not met, missing FWCs, improperly cleaned food contact surfaces, improper hot holding of PHF, room temperature storage of PHF, improper cold holding of PHF, accurate thermometers not immediately available. Low Risk Items: Foods stored on floor, sanitizer not immediately available. A follow-up inspection is required.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LE' CUP	Espresso Stand	5 N. FRONT ST. SUITE # 102	YAKIMA	5/6/2009	Routine Inspection	15/20 No receipts for food
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	5/26/2009	Routine Inspection	30/48 Missing FWCs, improperly stocked hand wash sink, need consumer advisory for raw or undercooked foods, unlabeled chemical spray
MARIPOSA - SCHMIDT COTTAGE	School	605 SUPERIOR LANE	YAKIMA	5/20/2009	Routine Inspection	0/0
MARTIN LUTHER KING, Jr.	School	2000 S. 18TH ST	YAKIMA	5/22/2009	Routine Inspection	0/0
MC DONALD'S	Restaurant	820 ZILLAH WEST RD.	ZILLAH	5/13/2009	Routine Inspection	10/15 Blocked hand wash sink
MC GUIRE'S IRISH RESTAURANT & PUB	Tavern	4807 TIETON DR	YAKIMA	5/19/2009	Routine Inspection	0/8 Improper thawing, wiping cloths not being stored in sanitizer. Spoke with PIC about complaint received. The owner has a bird that is allowed out of it's cage and onto the bar counter. Bird was not in the facility during inspection. They were told the bird is not allowed in any food preparation, storage, and/or dinning area.
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	5/18/2009	Routine Inspection	0/0
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	5/20/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MINUTE MART & SMOKE SHOP	Mini-mart	301 S. 13TH STREET	SUNNYSIDE	5/7/2009	Routine Inspection	10/15 - Missing some food worker cards and need a thermometer to check hot held food.
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	5/14/2009	Routine Inspection	0/0
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	5/18/2009	Routine Inspection	0/0
NORTH AVENUE MARKET	Mini-mart	701 NORTH AVENUE	SUNNYSIDE	5/7/2009	Routine Inspection	30/30 Missing FWCs, ice scoop stored in ice in the ice machine, improperly stocked hand wash sink
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	5/7/2009	Routine Inspection	0/3
PANADERIA YARITHZI 2	Bakery	4130 HARRAH RD	HARRAH	5/29/2009	Routine Inspection	0/0
PIK - A - POP # 16	Mini-mart	202 S. 5TH AVE.	YAKIMA	5/8/2009	Routine Inspection	20/30 Missing FWCs, BHC with RTE foods
PIONEER KITCHEN	Restaurant/Catering	227 S TOPPENISH AVE.	TOPPENISH	5/5/2009	Routine Inspection	0/0
POOCHIE'S	Restaurant	301 S. 3RD AVE.	YAKIMA	5/8/2009	Complaint Inspection	Talked to the manager about bare hand contact with ready-to-eat food. At the time of my arrival, gloves were being used while cutting strawberries.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUESERIA BENDITA		512 S 3RD ST	YAKIMA	5/8/2009	Routine Inspection	0/5
R. C.'S	Restaurant/Lounge	31 A RAY RD.	SUNNYSIDE	5/15/2009	Routine Inspection	35/60 BHC with RTE food, water too hot at restroom hand wash sink, raw meat stored next to RTE foods, consumer advisory for raw or undercooked foods on menu for oysters
				5/20/2009	Follow-Up Inspection	5/15 Raw meat stored above cooked meat
RAINIER MARKET	Mini-mart	1003 W NOB HILL BLVD	YAKIMA	5/8/2009	Routine Inspection	5/5 - no metal stem thermometer.
RAINIER PLACE	Mini-mart	1811 RAINIER PL	UNION GAP	5/27/2009	Routine Inspection	10/23 Missing one FWC, No PIC available
RANCH HOUSE RESTAURANT	Restaurant	8807 AHTANUM RD	YAKIMA	5/1/2009	Follow-Up Inspection	0/0
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	5/28/2009	Routine Inspection	0/0
RON'S TACO BURGER	Restaurant	1529 W LINCOLN.	YAKIMA	5/13/2009	Routine Inspection	5/10 - food worker card needed and no bleach in water used for wiping rags.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	5/4/2009	Routine Inspection	80/83 Missing FWCs, improper handwash facilities, improper hot holding & cold holding of PHF, room temperature storage fo PHF, no metal stem thermometers immediately available, Low Risk item: dirty non-food contact surfaces. Follow-up inspection required.
				5/15/2009	Follow-Up Inspection	Compliance inspection required - Several repeated issues - see report in imaging
RUSSILLO'S PIZZA & GELATO	Restaurant/Lounge	1 W. YAKIMA AVE. # 8	YAKIMA	5/8/2009	Follow-Up Inspection	0/5
SAFEWAY # 1660	Grocery Store	905 E. MEAD	YAKIMA	5/4/2009	Follow-Up Inspection	15/15 Missing FWCs, improper storage of chemicals
				5/18/2009	Compliance Inspection	0/0
SCHWAN'S HOME SERVICE, INC.		1502 PIERCE STREET	UNION GAP	5/18/2009	Routine Inspection	0/0
SCRC & RCRC	School	1106 HATHAWAY A & B	YAKIMA	5/20/2009	Routine Inspection	5/5 - no food worker cards available
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	5/28/2009	Routine Inspection	0/0
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	5/4/2009	Routine Inspection	0/0
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	5/11/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH NATIONAL LITTLE LEAGUE	Snack Bar - Seasonal	440 MCGONAGLE RD	SELAH	5/28/2009	Routine Inspection	0/5 - Separation between food prep sink and dishwash sink is still needed.
SHELL MARKET	Mini-mart	313 S. 1ST STREET	SELAH	5/5/2009	Routine Inspection	5/5 - missing some food worker cards.
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	5/6/2009	Follow-Up Inspection	30/35 Improperly cooling phf
SPIRIT MART	Mini-mart	102 E TOPPENISH AVE.	TOPPENISH	5/9/2009	Complaint Inspection	This establishment is making and selling menudo as well as other apparent complex food preparations. These foods were all immediatly removed from the establishment. Closure will result if future unapproved food processes are practiced.
STANTON HIGH SCHOOL	School	901 WHITMAN ST	YAKIMA	5/18/2009	Routine Inspection	0/0
STARBUCKS COFFEE CO. # 3407	Espresso Stand	1208 N. 40TH AVE. SUITE # A	YAKIMA	5/5/2009	Routine Inspection	15/15 Missing one FWC, soap dispenser clogged at hand wash sink
STOKES BURGER RANCH	Restaurant	706 YAKIMA VALLEY HWY.	SUNNYSIDE	5/15/2009	Routine Inspection	15/20 Missing FWCs, unlabeled chemicals and improper storage of chemicals
STONEHENGE TAVERN	Tavern	603 1ST AVE ZILLAH	ZILLAH	5/13/2009	Routine Inspection	20/20 PIC explained improper cooling procedures, missing one FWC, improper storage of chemicals

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUBWAY # 18869	Restaurant	1300 N. 40TH AVE. # 117	YAKIMA	5/5/2009	Routine Inspection	35/40 No person in charge at time of inspection, FWCs were not available, hands were not washed as required, improper storage of chemicals
				5/19/2009	Follow-Up Inspection	5/5 Missing FWC
SUNNYSIDE CHEVRON	Mini-mart	1805 S. 1ST STREET	SUNNYSIDE	5/13/2009	Follow-Up Inspection	10/10 No hot water at the restrooms
				5/18/2009	Compliance Inspection	0/0
TACO BELL # 5089	Restaurant	716 E YAKIMA AVE	YAKIMA	5/5/2009	Routine Inspection	5/5 - Missing some food worker cards.
TACO TIME	Restaurant	1020 S 16TH AVE.	YAKIMA	5/11/2009	Follow-Up Inspection	0/0
TAQUERIA LOS PICHA'S	Restaurant	601 A LINCOLN	YAKIMA	5/28/2009	Routine Inspection	0/0 (another refrigerator was recommended)
TAYON'S MARKET	Grocery Store	810 W. WINE COUNTRY RD.	GRANDVIEW	5/27/2009	Routine Inspection	0/0
TERIYAKI EXPRESS	Restaurant	2695 E. LINCOLN	SUNNYSIDE	5/13/2009	Follow-Up Inspection	15/20 Bare hand contact with RTE food
THE ELMS BED & BREAKFAST	Bed & Breakfast	1000 E. BLAINE AVE.	SUNNYSIDE	5/11/2009	Routine Inspection	5/5 Missing one FWC
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE	5/13/2009	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THOR'S GALLEY	Snack Bar	801 N FIRST	SELAH	5/28/2009	Routine Inspection	0/0
TIETON MARKET	Mini-mart	6003 TIETON DR	YAKIMA	5/20/2009	Routine Inspection	25/30 Improper hot holding, improper food storage.
TOM - TOM ESPRESSO	Espresso Stand	412 S. 40TH AVENUE	YAKIMA	5/6/2009	Routine Inspection	0/5
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	5/13/2009	Routine Inspection	0/0
UNION GAP FOOD MART	Mini-mart	3312 MAIN ST	UNION GAP	5/1/2009	Compliance Inspection	25/25 Improper cooking temperature phf
VFW POST #3482	Restaurant/Lounge	615 NORTH AVE.	SUNNYSIDE	5/18/2009	Routine Inspection	20/35 FWCs not available, improperly stocked hand wash sinks, no metal stem thermometer available
VICTORIA CONTENINTAL	Restaurant/Catering	5605 TIETON DR.	YAKIMA	5/30/2009	Catering Routine Inspection	10/10 - Food worker cards and metal stem thermometer not available.
VILLAGE CENTER CAFE	Retirement Housing	215 N. 40TH AVE.	YAKIMA	5/5/2009	Routine Inspection	0/0
VILLASENOR'S MEXICAN RESTAURANT	Restaurant	225 S TOPPENISH AVE.	TOPPENISH	5/5/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	5/7/2009	Routine Inspection	5/5 - one expired food worker card.
WASHINGTON MIDDLE SCHOOL	School	501 S. 7TH ST.	YAKIMA	5/22/2009	Routine Inspection	0/0
WEST VALLEY HIGH SCHOOL	School	9206 ZIER RD	YAKIMA	5/6/2009	Routine Inspection	0/0
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	5/27/2009	Routine Inspection	0/0
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	5/4/2009	Routine Inspection	0/0
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	5/27/2009	Routine Inspection	0/0
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	5/22/2009	Routine Inspection	0/5 Dishwasher was not sanitizing properly
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	5/15/2009	Follow-Up Inspection	5/10 Missing one FWC
Y.V.C.C. DINING SERVICES (HUB)	Restaurant	1015 S. 16TH AVENUE	YAKIMA	5/15/2009	Routine Inspection	15/20 Missing FWCs, blocked hand wash sinks

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA CRAFT BREWING CO.		2920 RIVER RD. # 6	YAKIMA	5/6/2009	Routine Inspection	5/5 Missing one FWC
YAKIMA SCHOOL OF THE ARTS	School	316 E. YAKIMA AVE.	YAKIMA	5/20/2009	Routine Inspection	10/10 No hand wash station at food service site - follow-up required.
				5/28/2009	Follow-Up Inspection	0/0 A temporary hand washing station is being used. According to PIC, a permanent solution is in process.