

# Monthly Food Inspection Report

## SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

## Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
1,2,3 BEEF BOWL	Restaurant	8 N 7TH AVE.	YAKIMA	6/8/2009	Follow-Up Inspection	0/0
3 D CAFE	Restaurant	3120 MAPLEWAY	YAKIMA	6/4/2009	Routine Inspection	15/35 Ice scoop handle contacted the ice
A MIDSUMMER NIGHT CATERING	Catering	608 PICKENS RD	YAKIMA	6/16/2009	Pre-Opening Inspection	approved to open.
AGAPE MT. SUNSHINE B. & B. / RETREAT	Bed & Breakfast	10121 HWY 410	NACHES	6/15/2009	Routine Inspection	5/5 - food worker card needed.
AGATE FIELD VINEYARD	Winery	2911 ROZA DR	ZILLAH	6/18/2009	Routine Inspection	0/0
AHTANUM FOOD MART (2)	Mini-mart	207 AHTANUM RD.	UNION GAP	6/1/2009	Follow-Up Inspection	15/15 Missing FWCs, unlabeled chemical
				6/15/2009	Compliance Inspection	5/5 Missing two FWCs
				6/29/2009	Compliance Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
APPLE BARREL SHELL GAS	Mini-mart	2021 FRUITVALE BLVD.	YAKIMA	6/3/2009	Routine Inspection	75/77 PIC answered incorrectly, missing one FWC, improperly cooling phf, phf stored at room temperature, unlabeled chemical
				6/8/2009	Follow-Up Inspection	0/0
ARBY'S RESTAURANT	Restaurant	4002 SUMMITVIEW AVE.	YAKIMA	6/16/2009	Routine Inspection	15/17 Missing FWCs, improper storage of chemicals, unlabeled chemical
ARTY'S BAR & GRILL	Tavern	1402 FRUITVALE BLVD	YAKIMA	6/4/2009	Routine Inspection	20/30 PIC answered incorrectly, missing FWCs, food spoiled in refrigerator
				6/15/2009	Follow-Up Inspection	10/15 Missing two FWCs, raw meat stored above ready to eat food in reach in refrigerator.
BI-MART # 636	Grocery Store	110 W. SOUTH HILL RD.	SUNNYSIDE	6/17/2009	Routine Inspection	0/5
BREWER'S MINI-MART II	Mini-mart	3922 FRUITVALE BLVD.	YAKIMA	6/8/2009	Routine Inspection	30/35 PIC answered incorrectly, missing one FWC, unlabeled chemical, improper chemical storage, improperly stocked hand wash sinks, blocked hand wash sink
BREWLESQUE ESPRESSO	Espresso Stand	326 N. 1ST ST.	YAKIMA	6/5/2009	Routine Inspection	0/5
C & D MARKET	Grocery Store	426 S MAIN STREET	MABTON	6/4/2009	Routine Inspection	10/13 Both handwash station and toilet were not functioning in restroom.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COZY CAT BED & BREAKFAST	Bed & Breakfast	12604 HWY 410	NACHES	6/15/2009	Routine Inspection	0/0
CREAGLE CONCESSIONS	Mobile		YAKIMA	6/27/2009	Routine Inspection	0/5 Sanitizer issues
CRUISIN' BILL'S CONVENIENCE CENTER	Mini-mart	702 W YAKIMA AVE.	YAKIMA	6/8/2009	Routine Inspection	10/13 Improperly stocked hand wash sinks
EAGLE ROCK GROCERY	Grocery Store	8590 HWY 410	NACHES	6/15/2009	Routine Inspection	35/35 - food worker card needed, improper hot holding temperatures, and no metal stem thermometer available to check temperatures.
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	6/15/2009	Follow-Up Inspection	0/0
EL RINCON	Restaurant	3704 FRUITVALE BLVD.	YAKIMA	6/18/2009	Routine Inspection	5/5 - missing food worker cards.
FRATERNAL ORDER OF EAGLES	Restaurant/Lounge	100 E. SOUTH HILL RD.	SUNNYSIDE	6/17/2009	Routine Inspection	15/18 Missing FWCs, unlabeled chemicals
FRUITVALE MARKET	Mini-mart	1408 FRUITVALE BLVD.	YAKIMA	6/4/2009	Routine Inspection	0/0
GENERAL STORE	Mini-mart	505 W. 1ST STREET	TOPPENISH	6/29/2009	Routine Inspection	25/25 room temperature storage of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	6/4/2009	Compliance Inspection	5/10 Missing FWCs
				6/9/2009	Compliance Inspection	0/0
				6/19/2009	Compliance Inspection	0/0
				6/26/2009	Compliance Inspection	0/5
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST	YAKIMA	6/16/2009	Follow-Up Inspection	60/75 BHC of RTE foods, Blocked kitchen hand wash sink, Improperly cooling PHF, improperly cold holding PHF
				6/16/2009	Complaint Inspection	Food worker handled RTE food with bare hand. Unnecessary persons were found in the kitchen. Kitchen had spots where the floor was dirty.
				6/26/2009	Compliance Inspection	0/5
GRAND CINEMAS - YAKIMA VALLEY	Snack Bar	3400 PICARD PLACE	SUNNYSIDE	6/17/2009	Routine Inspection	5/5 - improper hot holding temperatures.
GRINDER'S ESPRESSO	Espresso Stand	903-A VINTAGE VALLEY PARKWAY	ZILLAH	6/22/2009	Routine Inspection	5/17 Missing FWC
GUERRA'S DELI & CAFE # 2	Deli	1829 S 1ST STREET SUITE "B"	SUNNYSIDE	6/18/2009	Routine Inspection	0/0
HYATT VINEYARDS	Winery	2020 GILBERT RD	ZILLAH	6/18/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
JERRY'S VALLEY MEATS	Meat Market	2561 SUNNYSIDE MABTON RD	SUNNYSIDE	6/17/2009	Routine Inspection	25/30 Missing FWC, blocked hand wash sink, improperly stocked hand wash sink, unlabeled chemical and improper chemical storage
JITTER BEAN ESPRESSO BAR dba YAKIMA'S BEST ESPRESSO	Espresso Stand	401 W. NOB HILL BLVD.	YAKIMA	6/2/2009	Routine Inspection	5/10 Improperly cold holding PHF
KAT NIPS	Espresso Stand/Deli	9950 US HWY 12	NACHES	6/15/2009	Pre-Opening Inspection	approved to open.
KIWANIS PARK CONCESSIONS	Snack Bar - Seasonal	E MAPLE ST & FAIR AVE.	YAKIMA	6/30/2009	Routine Inspection	35/40 - No food worker cards available, ice scoop laying in ice, no paper towels at hand wash sink.
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	6/10/2009	Follow-Up Inspection	40/45 Repeated items: PIC requirement not met, Improper hot holding of PHF, inadequate cold holding of PHF.
				6/18/2009	Compliance Inspection	40/45 Repeated high risk items: No PIC, improper hot holding ( hanging raw meats to dry in hot room), improper refrigeration of PHF. Low Risk item: foods stored on floor.
				6/24/2009	Compliance Inspection	No repeated issues observed
LINCOLN MARKET	Mini-mart	1517 LINCOLN AV E	SUNNYSIDE	6/17/2009	Routine Inspection	0/0
LITTLE RED SCHOOL HOUSE	Espresso Stand	12691 U. S. HWY. 12	NACHES	6/3/2009	Routine Inspection	0/0
LITTLE STORE ON NACHES HEIGHTS	Mini-mart	5521 NACHES HTS RD	YAKIMA	6/30/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LONGMIRE'S T & T LOUNGE	Tavern	307 S. 1ST STREET	SELAH	6/4/2009	Routine Inspection	10/13 - missing food worker cards and need consumer advisory on menu.
LOS CARRIZOS	Restaurant	1012 E. LINCOLN AVE.	SUNNYSIDE	6/10/2009	Routine Inspection	70/75 inadequate handwash facilities, improper storage of raw meats, room temperature storage of meats, improper hot holding of PHF, missing consumer advisories
				6/24/2009	Follow-Up Inspection	0/0 no repeated problems observed
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	6/19/2009	Follow-Up Inspection	15/20 Blocked hand wash sink, raw meat stored above RTE food
MAISON DE PADGETT WINERY	Winery	2231 ROZA DR	ZILLAH	6/18/2009	Routine Inspection	0/0
MAMA J'Z	Restaurant	330 MAIN ST	MABTON	6/4/2009	Routine Inspection	10/10 Inadequate refrigeration of PHF
MATTERHORN MEATS	Meat Market	1313 N 16TH AVE	YAKIMA	6/19/2009	Routine Inspection	5/5 Missing FWC
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	6/9/2009	Pre-Opening Inspection	Ok to open.
MID VALLEY NAUTILUS	Espresso Stand	1003 VINTAGE VALLEY RD.	ZILLAH	6/19/2009	Routine Inspection	0/0
MT. ADAMS COUNTRY CLUB SNACK BAR	Deli	1250 ROCKY FORD ROAD	TOPPENISH	6/3/2009	Routine Inspection	15/15 Improper cold holding of PHF, inaccurate thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NEW YORK TERIYAKI	Restaurant	3710 FRUITVALE BLVD.	YAKIMA	6/1/2009	Routine Inspection	50/58 PIC answered incorrectly, missing FWC, PHF stored at room temperature, inaccurate metal stem thermometers, improper chemical storage
NILE VALLEY GAME PROCESSING	Meat Market	23 E. 2ND STREET	NACHES	6/11/2009	Routine Inspection	0/5
NOB HILL ESPRESSO	Espresso Stand	910 W. NOB HILL BLVD	YAKIMA	6/18/2009	Routine Inspection	25/30 Missing FWCs, PIC did not have FWC, no receipts for ice
PAPA MURPHY'S PIZZA	Restaurant	211 S. CHESTNUT ST.	TOPPENISH	6/3/2009	Routine Inspection	0/0
PARADISOS DEL SOL	Winery	3230 HIGHLAND DR	ZILLAH	6/18/2009	Routine Inspection	0/0
PLAZA THEATRE	Snack Bar	202 E. CHESTNUT	YAKIMA	6/16/2009	Routine Inspection	25/25 Missing FWC, improperly stocked hand wash sink, improper storage of chemicals
PORTEUS WINERY	Winery	5201 HIGHLAND DR	ZILLAH	6/18/2009	Routine Inspection	0/0
RIVER RIDGE GOLF COURSE	Restaurant/Lounge	295 GOLF COURSE LOOP	SELAH	6/1/2009	Routine Inspection	0/0
ROSEDELL BED & BREAKFAST	Bed & Breakfast	1811 W. YAKIMA AVE.	YAKIMA	6/30/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ROYAL BUFFET	Restaurant	4001 SUMMITVIEW AVE. SUITE # 22	YAKIMA	6/15/2009	Compliance Inspection	15/15 missing FWCs, raw meats improperly stored, improper hot holding of PHF
SAFEWAY # 462	Grocery Store	205 N. 5TH AVENUE	YAKIMA	6/3/2009	Routine Inspection	30/40 Missing FWCs, BHC with ice, blocked hand wash sink
SCHOOL HOUSE ESPRESSO	Espresso Stand	900 YAKIMA VALLEY HWY. SUITE 3	SUNNYSIDE	6/22/2009	Routine Inspection	5/10 Missing FWCs
SENIOR NUTRITION PROGRAM - GRANDVIEW SENIOR CENTER		401 W 2ND ST.	GRANDVIEW	6/29/2009	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - GRANGER LIONS CLUB		109 E. "A" STREET	GRANGER	6/29/2009	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - RESPITE ADULT DAY CENTER		1604 W YAKIMA AVE	YAKIMA	6/30/2009	Routine Inspection	5/10 Inaccurate metal stem thermometer
SENIOR NUTRITION PROGRAM - SELAH CIVIC CENTER		216 S 1ST ST.	SELAH	6/18/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SHARI'S RESTAURANT - N. YAKIMA	Restaurant	1401 LAKESIDE COURT	YAKIMA	6/22/2009	Routine Inspection	15/15 - Bare hand contact with ready-to-eat food.
SILVER DOLLAR CAFE	Restaurant	30501 HIGHWAY 24	SUNNYSIDE	6/29/2009	Routine Inspection	15/20 Ice scoop stored in the ice machine
SILVER LAKE WINERY	Winery	1500 VINTAGE RD	ZILLAH	6/18/2009	Routine Inspection	0/0
SLIM'S MARKET	Grocery Store	9951 HIGHWAY 12	NACHES	6/3/2009	Routine Inspection	0/0
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	6/17/2009	Pre-Opening Inspection	Need indirect drain on food preparation sink, repair faucet at 3 compartment sink.
				6/19/2009	Pre-Opening Inspection	ok to open, pay fees
SUB SHOP OF YAKIMA	Restaurant	20 N. 2ND STREET	YAKIMA	6/30/2009	Routine Inspection	25/30 Missing FWCs, improper cold holding phf, unlabeled chemical
SUBWAY # 3842	Restaurant	2301 W NOB HILL BLVD	YAKIMA	6/11/2009	Pre-Opening Inspection	approved to open.
SWEET BEEZ CAFE	Restaurant	130 E NACHES	SELAH	6/8/2009	Routine Inspection	5/5- pooled raw egg in the refrigerator.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO BELL # 5088	Restaurant	1602 W. NOB HILL BLVD	YAKIMA	6/3/2009	Complaint Inspection	There is a plastic to prevent dust and sheet rock dust from entering the establishment. The dining room and restrooms are being remodeled. The portable toilet in the dining room did not have hot water for hand washing. They set up a hand wash station this afternoon. Interim they received permission from Golden Coin to use their restrooms until they had an acceptable hand wash station. They have hot water now for their hand wash station near the portable toilet.
TACOS MICHOCAN	Mobile	Monson Fruit 252 N. Rushmore Road	SELAH	6/8/2009	Follow-Up Inspection	10/10 - No hot water available. Mobile unit was closed until hot water was available.
TEN-FOUR CAFE	Restaurant	703 WINE COUNTRY RD.	GRANDVIEW	6/29/2009	Routine Inspection	35/40 - bare hand contact with ready-to-eat food, not washing hands after handling raw eggs, some workers need FWC.
THAT'S A WRAP	Deli	505 1ST AVE	ZILLAH	6/19/2009	Routine Inspection	Missing FWC, inaccurate metal stem thermometer
THE DOGHOUSE	Restaurant	1103 ROCK AVE. - YAKIMA	YAKIMA	6/29/2009	Routine Inspection	5/10 Missing FWC
THE DRIFT INN	Restaurant	12540 HWY 12	NACHES	6/3/2009	Routine Inspection	40/50 - improper cooling and no paper towels at the handwash sink in the kitchen.
THE FLOWER GARDEN	Winery	3201 SUMMITVIEW AVE.	YAKIMA	6/3/2009	Routine Inspection	0/5
THE FUEL YARD	Espresso Stand	314 1ST AVE.	ZILLAH	6/22/2009	Routine Inspection	15/17 Ice scoop stored in ice machine

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE MARKET PLACE DELI	Deli/Catering	304 E YAKIMA AVE.	YAKIMA	6/8/2009	Routine Inspection	30/38 Improperly cooling PHF
THE RANCH TAVERN	Tavern	515 FRUITVALE BLVD.	YAKIMA	6/30/2009	Routine Inspection	5/20 Missing FWC
TWO MOUNTAIN WINERY	Winery	2151 CHEYNE RD	ZILLAH	6/18/2009	Routine Inspection	0/0
VILLASENOR'S	Restaurant	601 FRUITVALE BLVD.	YAKIMA	6/24/2009	Routine Inspection	10/12 - Improper chemical storage.
YUMMY MEATS	Mobile			6/4/2009	Routine Inspection	0/2 Did not have a valid permit.(Expired 1/1/09)They have now renewed permit.
ZILLAH FOOD CENTER	Grocery Store	145 1ST AVE.	ZILLAH	6/17/2009	Routine Inspection	25/28 Missing FWC, improperly stocked hand wash sink, improper storage of chemicals