

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
410 MARKET	Grocery Store	1301 YAKIMA VALLEY HWY.	SUNNYSIDE	7/17/2009	Routine Inspection	25/30 No hot water at the hand wash sink in front area, no paper towels in the restroom, missing two FWCs, PIC answered incorrectly, no metal stem thermometer available
901 PASTA	Restaurant/Catering	910 SUMMITVIEW AVE. SUITE # 7-A	YAKIMA	7/24/2009	Routine Inspection	35/43 Missing FWC, no soap or paper towels at hand wash sink, improperly cold holding PHF, improper chemical storage
AMERISTAR # 15	Mini-mart	723 E. 1ST AVE.	ZILLAH	7/8/2009	Routine Inspection	50/62 Missing FWCs, Improper ice scoop used by public, improper hot holding phf, improper thermometer provided.
				7/15/2009	Follow-Up Inspection	5/15 Missing FWC
ARCTIC CIRCLE	Restaurant	808 N 1ST ST.	YAKIMA	7/13/2009	Routine Inspection	15/20 - Missing several food worker cards, improper handwashing facilities, and cross connection present.
				7/29/2009	Follow-Up Inspection	Out-of-compliance items from last routine inspection have been minimally addressed. More FWCs needed. A compliance inspection is required if FWCs are not obtained by Sept 1. We are to receive notification when this is completed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ARTY'S BAR & GRILL	Tavern	1402 FRUITVALE BLVD	YAKIMA	7/6/2009	Compliance Inspection	0/0
BACKWOODS COUNTRY FARE CAFE	Restaurant	913 S. 1ST STREET	YAKIMA	7/23/2009	Routine Inspection	15/20 - Bare hand contact with ready to eat food and improper room temperature storage of food.
BI-MART # 605	Grocery Store	309 S. 5TH AVE. - YAKIMA	YAKIMA	7/23/2009	Routine Inspection	5/5 PIC did not answer correctly
BINGO BITES	Deli	3112 MAIN ST	UNION GAP	7/6/2009	Routine Inspection	30/32 BHC with RTE foods, no working metal stem thermometer, improper storage of chemicals
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	7/23/2009	Routine Inspection	15/25 Missing FWCs, unlabeled chemical
BODEGA YAKIMEX	Grocery Store	511 N 1ST ST.	YAKIMA	7/27/2009	Commissary Inspection	Smell and liquid waste was confirmed. Pictures in imaging. See telephone call activity.
				7/29/2009	Complaint Inspection	Foul smell is apparently coming from liquid waste from store dumpster and/or grease bin. Bodega Yakimamex must complete the following: 1. clean the dumpster and grease trap 2. empty the dumpster and grease trap weekly 3. have a lock on the dumpster and grease trap
BOHEMIA CAFE	Espresso Stand	402 E YAKIMA AVE. #100	YAKIMA	7/31/2009	Routine Inspection	10/10 hand washing station issues

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BUTTERCREAM DREAMS - SPECIALTY CAKES, FINE PASTRIES & CA	Restaurant/Catering	220 JOHNSON RD	SELAH	7/29/2009	Routine Inspection	5/10 - Inaccurate metal stem thermometer.
CACTUS JUICE CAFE	Deli	632 DECATUR	SUNNYSIDE	7/15/2009	Routine Inspection	0/0
Caffe Brewlatte	Espresso Stand	2800 TERRACE HTS DRIVE	YAKIMA	7/23/2009	Routine Inspection	25/30 BHC with RTE foods, milk expired, unlabeled chemical
CARNICERIA LOS AMIGOS	Meat Market	205 WAPATO AV S	WAPATO	7/9/2009	Surveillance Inspection	Looking for unpasteurized cheese - none found
CHERREE'S ESPRESSO	Espresso Stand	2404 S. THIRD AVE.	UNION GAP	7/10/2009	Routine Inspection	0/0
CHERRY WOOD BED & BREAKFAST	Bed & Breakfast	3271 ROZA DR. - ZILLAH	ZILLAH	7/20/2009	Routine Inspection	0/0
CLAAR CELLARS	Winery	1001 VINTAGE VALLEY PARKWAY	ZILLAH	7/14/2009	Routine Inspection	5/5 Missing FWC
CLARK'S EMPIRE FOODS	Grocery Store	3361 MAPLEWAY	YAKIMA	7/13/2009	Routine Inspection	10/10
COLD STONE CREAMERY	Ice Cream Parlor	2401 S. 1ST STREET SUITE# 100	YAKIMA	7/23/2009	Routine Inspection	30/45 Missing FWCs, gloves contaminated and not changed, unlabeled chemicals

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COMFORT INN	Continental Brkfst	911 VINTAGE VALLEY PARKWAY	ZILLAH	7/16/2009	Routine Inspection	35/38 Missing FWC, improperly hot holding PHF, improperly cold holding PHF with ice, no metal stem thermometer, improper chemical storage
				7/23/2009	Follow-Up Inspection	0/0
DOMINO'S PIZZA # 7170	Restaurant	6 S 9TH ST	YAKIMA	7/10/2009	Routine Inspection	15/20 Missing FWCs, improper chemical storage
				7/15/2009	Routine Inspection	0/0
DOMINO'S PIZZA # 7171	Restaurant	420 S. 72ND AVE.	YAKIMA	7/10/2009	Routine Inspection	15/20 Missing FWCs, improper chemical storage
				7/15/2009	Routine Inspection	0/0
DONITELIA WINERY	Winery	321 E. YAKIMA AVENUE	YAKIMA	7/10/2009	Routine Inspection	5/10 Missing FWCs
				7/15/2009	Routine Inspection	0/0
DOONAN'S E Z ' N CAFE & ESPRESSO	Restaurant	802 1ST AVENUE	ZILLAH	7/9/2009	Routine Inspection	70/75 Missing FWCs, BHC with RTE food, improperly stocked hand wash sink, improperly cooling PHF, improperly stored chemicals
				7/14/2009	Follow-Up Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
				7/16/2009	Routine Inspection	20/28 Missing FWCs, PIC answered incorrectly, improperly stocked hand wash sinks
DOUBLE D'S STEAKHOUSE	Restaurant	1600 YAKIMA VALLEY HWY	SUNNYSIDE	7/16/2009	Routine Inspection	20/28 Missing FWCs, PIC answered incorrectly, improperly stocked hand wash sinks
				7/22/2009	Follow-Up Inspection	5/10 Missing FWC
EL PASTOR RESTAURANT	Restaurant	315 W. WALNUT	YAKIMA	7/15/2009	Routine Inspection	40/50 Missing one FWC, improperly cooling PHF, inaccurate metal stem thermometer
				7/22/2009	Follow-Up Inspection	5/10 Missing FWC
EL PORTON	Restaurant	420 S. 48TH AVE.	YAKIMA	7/14/2009	Routine Inspection	10/10 improper cold holding of PHF
				7/15/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL PUEBLITO (LITTLE TOWN) RESTAURANT & LOUNGE	Restaurant	300 W. 2ND STREET	GRANDVIEW	7/16/2009	Routine Inspection	0/0
FLIGHTLINE CONVENIENCE CENTER	Mini-mart	2805 W. WASHINGTON AVE.	YAKIMA	7/2/2009	Routine Inspection	20/20 - missing several food worker cards and bare hand contact with ready-to-eat food.
GEARJAMMER TRUCK STOP	Restaurant	2310 RUDKIN RD.	UNION GAP	7/15/2009	Complaint Inspection	40/48 FWCs not available, BHC with RTE food, bacon stored at room temperature
				7/21/2009	Follow-Up Inspection	5/5 Missing FWCs
GEORGE'S STEAKHOUSE	Restaurant/Cateri ng	1101 S 3RD AVE.	YAKIMA	7/6/2009	Catering Routine Inspectio	0/2 no permit posted
				7/13/2009	Routine Inspection	60/60 Missing FWCs, BHC of RTE food, improperly stocked hand wash sink, improper reheating food for hot holding, improperly colding phf with ice, unlabeled chemicals
GEPPETTO'S ITALIAN BISTRO & DELI	Deli	3105 SUMMITVIEW AV	YAKIMA	7/8/2009	Pre-Opening Inspection	Approved to open.
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	7/22/2009	Compliance Inspection	0/5
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	7/20/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	7/20/2009	Routine Inspection	10/10 - No hot water at hand wash sink.
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	7/20/2009	Routine Inspection	0/0
HORIZON'S EDGE WINERY	Winery	4530 E. ZILLAH DR.	ZILLAH	7/20/2009	Routine Inspection	5/5 Missing one FWC
JACK IN THE BOX # 8315	Restaurant	1002 N. 1ST STREET	YAKIMA	7/1/2009	Routine Inspection	5/5 missing and expired food worker cards
JACK IN THE BOX # 8362	Restaurant	100 W. SOUTH HILL RD.	SUNNYSIDE	7/10/2009	Routine Inspection	20/20 - Missing several food worker cards and bare hand contact with ready-to-eat food.
KENTUCKY FRIED CHICKEN/A&W	Restaurant	2325 S 1ST ST	YAKIMA	7/24/2009	Routine Inspection	5/10 Missing FWCs
LA BARATA RANCH MARKET	Grocery Store	110 ASH - GRANDVIEW	GRANDVIEW	7/16/2009	Routine Inspection	75/80 missing FWCs, inadequate hand washing facilities, missing shellfish tags, room temperature storage and improper hot holding of PHF, no thermometer available, unclean food contact surfaces.
				7/31/2009	Follow-Up Inspection	No reoccurring out-of-compliance items were noted.
LA NACIONAL	Grocery Store	506 S. 1ST STREET	YAKIMA	7/15/2009	Routine Inspection	10/10 inadequate hand washing facilities

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	7/9/2009	Routine Inspection	70/90 No FWC's, handwash inadequate, food contact surface not easily cleanable, room temperature storage. Follow up required.
LARIAT BAR B Q	Restaurant	621 W. YAKIMA AVE.	YAKIMA	7/15/2009	Routine Inspection	45/53 Hands were not washed after they became contaminated, BHC with RTE foods, improper chemical storage, raw meat stored above RTE food
				7/20/2009	Follow-Up Inspection	15/15 BHC with RTE foods
				7/24/2009	Compliance Inspection	0/0
LAS PALOMAS	Restaurant	15 ELM ST S	TOPPENISH	7/9/2009	Surveillance Inspection	Looking for unpasteurized cheeses - non found.
LITTLE CAESARS	Restaurant	2301 W. NOB HILL BLVD.	YAKIMA	7/23/2009	Routine Inspection	20/20 Missing FWC, improper chemical storage, inaccurate metal stem thermometer
MANHATTAN STATION ESPRESSO	Espresso Stand	921 N. 16TH AVE. - YAKIMA	YAKIMA	7/10/2009	Routine Inspection	20/25 Missing FWCs, ice scoop handle for ice machine contacting ice
MC DONALD'S	Restaurant	5910 SUMMITVIEW AVE	YAKIMA	7/21/2009	Complaint Inspection	Additional rodent control measures are in place.
NEW YORK TERIYAKI	Restaurant	3710 FRUITVALE BLVD.	YAKIMA	7/6/2009	Follow-Up Inspection	30/35 PHF stored at room temperature, raw meat stored above RTE food
NOB HILL CONOCO	Mini-mart	1023 S 3RD AVE.	YAKIMA	7/15/2009	Routine Inspection	5/5 missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NORTH TOWN COFFEEHOUSE	Espresso Stand	28 N 1ST. ST.	YAKIMA	7/23/2009	Routine Inspection	5/8 - No food worker cards available.
OUT ON A WHIM	Espresso Stand	108 S 3RD AVE	YAKIMA	7/28/2009	Pre-Opening Inspection	Need NSF refrigeration and temperature gauges in refrigeration
PANADERIA DELICIAS	Bakery	1401 FRUITVALE BLVD	YAKIMA	7/10/2009	Pre-Opening Inspection	Several things still need to be done.
				7/13/2009	Opening Inspection	approved to open.
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS. DR.	YAKIMA	7/13/2009	Routine Inspection	40/45 Missing one FWC, eggs at RTS, improper storage of chemical
PAPA MURPHY'S PIZZA	Restaurant	4900 TIETON DRIVE	YAKIMA	7/17/2009	Routine Inspection	20/20 Missing one FWC, inaccurate metal stem thermometer, improper chemical storage
PAPA MURPHY'S PIZZA STORE # WA189	Restaurant	1515 SUMMITVIEW AVE. # 2	YAKIMA	7/23/2009	Routine Inspection	25/30 Soap dispenser broken and no hot water in the restroom, missing FWC, improper chemical storage
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	7/15/2009	Routine Inspection	20/20 - No food worker cards available, no metal stem thermometer available, and no paper towels at handwash sink in food prep area.
PHO TAN	Restaurant	420 S. 72ND AVE. # 160	YAKIMA	7/15/2009	Pre-Opening Inspection	approved to open. Need to install food prep sink.
PIK -A- POP # 15	Mini-mart	1802 E NOB HILL BLVD.	YAKIMA	7/10/2009	Routine Inspection	5/10 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIZZA HUT / WINGSTREET	Restaurant	2680 YAKIMA VALLEY HWY. # 1	SUNNYSIDE	7/16/2009	Routine Inspection	0/0
				7/21/2009	Routine Inspection	15/15 Missing FWCs, blocked hand wash sink
PLANET JOE'S ESPRESSO	Espresso Stand	900 W. WINE COUNTRY RD.	GRANDVIEW	7/2/2009	Pre-Opening Inspection	Before opening: 1) Commercial refrigeration needed. 2) No food preparation allowed in current facilities 3) A paper towel dispenser is needed at handwash sink 4) Hot water must be available at handwashing sink. 5) Payment needed for license cost.
QUIZNO'S SUB # 9469	Restaurant	1809 S. 1ST ST.	YAKIMA	7/9/2009	Routine Inspection	0/0
RESTAURANT EL "DORADO"	Restaurant	225 DIVISION ST	GRANDVIEW	7/30/2009	Routine Inspection	10/10 Slightly inadequate hot and cold holding of PHF
RUSTICO CAFE	Espresso Stand/Deli	2300 W. WASHINGTON SUITE# 9	YAKIMA	7/10/2009	Routine Inspection	25/25 Improperly hot holding phf
SANCHEZ TACOS	Mobile	109 W. 1ST ST., WAPATO	WAPATO	7/19/2009	Routine Inspection	0/5 No labels on their foods in the commissary kitchen.
SBARRO PIZZERIA	Restaurant	2529 MAIN ST. SUITE# 266	UNION GAP	7/6/2009	Routine Inspection	10/22 Restroom hand wash sinks are not properly stocked
SELAH RED APPLE MARKET	Grocery Store	121 E. 3RD AVENUE	SELAH	7/8/2009	Routine Inspection	5/10 - raw chicken stored above ready-to-eat food.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SEVERINO CELLARS	Winery	1717 1ST AVE.	ZILLAH	7/16/2009	Routine Inspection	0/0
STAGECOACH RV PARK	Mini-mart	16201 W. WENAS RD.	SELAH	7/6/2009	Routine Inspection	0/0
STAR FOOD MART	Grocery Store	318 E. WINE COUNTRY RD.	GRANDVIEW	7/16/2009	Routine Inspection	10/10 improperly stocked hand wash sink
SUBWAY # 6870	Restaurant	2402 S. 1ST ST. # A-100	YAKIMA	7/9/2009	Routine Inspection	30/35 Missing FWCs, improperly hot holding phf
				7/9/2009	Complaint Inspection	They are using gloves for RTE foods.
SUN - TIDES RESTAURANT	Restaurant	231 PENCE RD.	YAKIMA	7/13/2009	Routine Inspection	10/15 Missing two FWCs, inaccurate metal stem thermometers
SUNNYSIDE CITY JAIL	Jail	401 HOMER ST.	SUNNYSIDE	7/10/2009	Routine Inspection	0/0
TACO EL GRANDE # 2	Mobile	1402 S. Fair Ave. Yakima 8AM-9PM	YAKIMA	7/9/2009	Routine Inspection	40/40 Improper cooling, cold holding, thawing.
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	7/23/2009	Routine Inspection	75/80 inadequate hand washing facilities, improper cooling and hot holding of PHF, refrigeration not cooling properly, refrigeration units missing temperature gauges
TACOS EL REY	Restaurant	1218 S. 6TH STREET	YAKIMA	7/9/2009	Surveillance Inspection	Looking for unpasteurized cheese - none found

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACOS MICHOACAN	Mobile	Monson Fruit 252 N. Rushmore Road	SELAH	7/6/2009	Compliance Inspection	45/45 - No hot water available, improper hot holding temperatures, and food stored below sanitizer.
				7/27/2009	Compliance Inspection	25/25 - No water available, worker did not have a current FWC, and PHF stored in a refrigerator that was not plugged in. Facility was closed.
TACOS URUAPAN	Mobile	Various	YAKIMA	7/1/2009	Routine Inspection	No problems.
TAQUERIA LA PLAZITA	Restaurant	103 N. 1ST ST. # H	SELAH	7/28/2009	Routine Inspection	10/12 - No paper towels at hand wash sink in the kitchen, food stored in hand wash sink in the kitchen, kids in the kitchen.
TAQUERIA URUAPAN	Restaurant	1324 S. 10TH STREET.	YAKIMA	7/1/2009	Routine Inspection	0/0 No problems.
				7/1/2009	Routine Inspection	0/0 No problems.
THAI ORCHID	Restaurant/Cateri ng	14 N 2ND ST.	YAKIMA	7/5/2009	Catering Routine Inspection	35/35 no hot water with hand washing setup, room temperature stored PHF(cooked noodles in plastic storage tub)
THE BREAKFAST HOUSE	Restaurant/Cateri ng	608 MAPLE STREET	TIETON	7/24/2009	Routine Inspection	55/62 Missing FWCs, BHC w/RTE, inadequate hand washing facilities, room temperature storage of PHF, food stored on floor
THE COFFEE SHACK	Espresso Stand	7111 POSTMA RD	MOXEE	7/23/2009	Routine Inspection	25/30 Ice scoop handle contacting ice, blocked hand wash sinks in the portable toilet and in the kitchen
THE DRIFT INN	Restaurant	12540 HWY 12	NACHES	7/21/2009	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THOMPSON'S FARM MARKET	Ice Cream Parlor	9950 US HWY 12	NACHES	7/21/2009	Routine Inspection	15/15 - Missing food worker card and no hot water at handwash sink in the restroom.
TONY'S STEAKHOUSE	Restaurant/Catering	221 YAKIMA AV W	YAKIMA	7/24/2009	Routine Inspection	15/15 - Several workers need food worker cards and no paper towels at hand wash sink in the bar.
WAFFLE CAFFE	Restaurant	1510 N. 1ST STREET	YAKIMA	7/15/2009	Routine Inspection	30/40 Missing FWCs, BHC with RTE foods, unlabeled chemicals
WAL-MART STORE #2241	Grocery Store	2675 LINCOLN AVE.	SUNNYSIDE	7/10/2009	Routine Inspection	10/10 - No paper towels at 2 different handwash sinks in the deli area.
WENDY'S	Restaurant	1001 N 1ST ST.	YAKIMA	7/23/2009	Routine Inspection	20/20 Food worker improperly washed hands, missing FWCs
WESTFARM DAIRY FAIR	Deli	400 ALEXANDER RD.	SUNNYSIDE	7/15/2009	Routine Inspection	0/3
WRAY'S SOUTHGATE	Grocery Store	401 W. NOB HILL BLVD.	YAKIMA	7/8/2009	Routine Inspection	5/5 - Missing several food worker cards.
XPRESS MART	Mini-mart	51 FIRING CENTER RD.	YAKIMA	7/14/2009	Routine Inspection	45/50 Missing FWCs, improper washing of vegetables, hot dogs improperly hot held, inaccurate metal stem thermometer
				7/20/2009	Follow-Up Inspection	15/20 Missing FWCs, improper washing of vegetables
YAKIMA TENNIS CLUB SNACK BAR	Snack Bar - Seasonal	516 N 35TH AVE.	YAKIMA	7/6/2009	Routine Inspection	15/23 Missing three FWCs, unlabeled chemicals.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA YOUTH BASEBALL	Snack Bar - Seasonal	1405 W NOB HILL BLVD.	YAKIMA	7/14/2009	Routine Inspection	20/30 Missing FWCs, worker did not wash between glove changes,