

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
2ND STREET MARKET	Grocery Store	131 S. 2ND ST.	YAKIMA	8/6/2009	Pre-Opening Inspection	OK'd to open after payment for licensing
901 PASTA	Restaurant/Catering	910 SUMMITVIEW AVE. SUITE # 7-A	YAKIMA	8/3/2009	Compliance Inspection	10/10 Cold holding PHF above 41 F.
				8/5/2009	Compliance Inspection	0/0
APPLE TREE RESTAURANT	Restaurant/Lounge	8804 OCCIDENTAL	YAKIMA	8/21/2009	Routine Inspection	10/23 Missing FWCs, inaccurate metal stem thermometers
BEST WESTERN AHTANUM INN	Continental Brkfst	2408 RUDKIN RD.	UNION GAP	8/20/2009	Routine Inspection	35/40 PIC answered incorrectly, missing FWCs, improperly stocked kitchen hand wash sink
				8/28/2009	Follow-Up Inspection	0/0
BIGG O'S DELI & ESPRESSO	Espresso Stand/Deli	503 W. 1ST.	WAPATO	8/24/2009	Pre-Opening Inspection	Need to submit plans, menu, application and pay fees.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BI-MART # 626	Grocery Store	1207 N. 40TH AVE. - YAKIMA	YAKIMA	8/25/2009	Routine Inspection	0/0
BOB'S KEG & CORK	Restaurant/Lounge	27 N. FRONT STREET	YAKIMA	8/13/2009	Follow-Up Inspection	5/5 Metal stem thermometer is inaccurate
BREWER'S MINI-MART	Mini-mart	912 N. 1ST STREET	YAKIMA	8/24/2009	Routine Inspection	5/10 Missing FWCs
BRUCHI'S	Restaurant	302 W. NOB HILL BLVD.	YAKIMA	8/4/2009	Routine Inspection	20/25 PIC answered incorrectly, inaccurate metal stem thermometer, unlabeled chemicals
CARNICERIA LA MICHOACANA	Meat Market	818 WISCONSIN AVE.	TIETON	8/28/2009	Routine Inspection	20/20 PIC requirement not met, missing FWCs, handwashing sinks inaccessible and without soap and paper towels
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	8/18/2009	Routine Inspection	20/25 PIC answered incorrectly, BHC with ice using cup to scoop
CEDARS SUITES YAKIMA	Continental Brkfst	1010 E. "A" STREET	YAKIMA	8/13/2009	Opening Inspection	Three items needed before opening - see report in imaging
CHEVRON WEST	Mini-mart	824 ZILLAH WEST RD.	ZILLAH	8/31/2009	Routine Inspection	10/10 Missing FWCs, improperly hot holding PHF
COCA COLA BOTTLING - YAKIMA & TRI-CITIES		607 E. "R" STREET	YAKIMA	8/12/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COLD STONE CREAMERY	Ice Cream Parlor	2401 S. 1ST STREET SUITE# 100	YAKIMA	8/4/2009	Follow-Up Inspection	5/5 Missing two FWCs
CORNER GROCERY & HARDWARE	Grocery Store	8501 AHTANUM RD	YAKIMA	8/26/2009	Routine Inspection	5/5 refrigeration was not properly cold holding PHF Additional Note: New owner backed out - original owner still possesses and operates establishment.
CULTURA WINERY	Winery	3601 HIGHLAND DR.	ZILLAH	8/14/2009	Pre-Opening Inspection	approved to open.
DAWN TIL DUSK ESPRESSO	Espresso Stand	9918 U. S. HWY. 12	NACHES	8/14/2009	Pre-Opening Inspection	approved to open.
DAYS INN	Continental Brkfst	1504 N. 1ST STREET	YAKIMA	8/13/2009	Routine Inspection	0/0 (FWCs are present)
EDISON MARKET	Mini-mart	1520 E EDISON	SUNNYSIDE	8/12/2009	Routine Inspection	35/35 - food worker card needed, improper hot holding temperatures, and no metal stem thermometer available to check temperatures.
EL PORTON	Restaurant	905-A VINTAGE VALLEY PARKWAY	ZILLAH	8/3/2009	Routine Inspection	15/20 Missing FWC, unlabeled chemicals
EL TAPATIO #6-A	Mobile	800 W. Wine Country Road, Grandview	GRANDVIEW	8/1/2009	Routine Inspection	40/50 Ice scoop stored inside ice machine, no paper towels in employee restroom, improper cold holding of PHF's, inaccurate thermometer.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
FIESTA FOODS	Deli/Catering	2010 YAKIMA VALLEY HWY. B-1 # 7	SUNNYSIDE	8/19/2009	Routine Inspection	0/0 No meat issues observed
FRED MEYER	Grocery Store	1206 N. 40TH AVE.	YAKIMA	8/13/2009	Routine Inspection	40/55 FWCs not available, BHC with RTE foods, hand wash sink was blocked, improper chemical storage
				8/19/2009	Routine Inspection	5/15 Missing FWCs
GEORGE'S SELAH MINING COMPANY	Restaurant/Catering	204 E. NACHES AVE.	SELAH	8/10/2009	Routine Inspection	40/52 - food worker cards not available, improper cooling, consumer advisory needed on menu.
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	8/10/2009	Compliance Inspection	10/20 Improperly stocked hand wash sink
GOLDEN NUGGET	Mini-mart	1041 BUENA RD	ZILLAH	8/3/2009	Routine Inspection	15/30 Missing FWC, past pull date PHF on shelf
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	8/19/2009	Routine Inspection	30/48 Missing FWCs, PHF at RTS
HIWAY FRUIT	Fruit Stand	209 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/13/2009	Routine Inspection	35/40 - 3 of 6 workers need food worker cards, improper hot holding temperatures, and metal stem thermometer was not accurate.
HOLIDAY INN EXPRESS - YAKIMA	Continental Brkfst	1001 'A' ST E	YAKIMA	8/6/2009	Routine Inspection	50/68 PIC answered incorrectly, missing FWC, improperly stocked hand wash sink, improperly hot holding PHF, not using metal stem thermometer to evaluate PHF temperatures
				8/12/2009	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HOOP'S SPORTS BAR & GRILLE	Tavern	2103 W LINCOLN AVE.	YAKIMA	8/17/2009	Routine Inspection	25/30 Improper reheating for hot holding, unlabeled chemicals
HUCKLEBERRY'S DRIFT FOOD	Mobile		YAKIMA	8/6/2009	Pre-Opening Inspection	approved to operate.
				8/31/2009	Catering Routine Inspection	Inspected him at the 3 on 3 Hot Shots event at down town Yakima Ave. No problems.
INTERNATIONAL MARKET	Grocery Store	512 W 1ST ST.	WAPATO	8/26/2009	Routine Inspection	15/28 Missing FWCs, improperly stocked hand wash sink
JAN MELHORN'S CATERING ETC	Catering	1408 CITY RESERVOIR RD	YAKIMA	8/26/2009	Routine Inspection	0/0
JUWANNA JAVA	Espresso Stand/Deli	500 W MAIN ST. (Y.V.C.C.)	GRANDVIEW	8/27/2009	Pre-Opening Inspection	ok'd to open
KINGS ROW	Restaurant	210 S. 1ST STREET	SELAH	8/31/2009	Routine Inspection	5/5 - 3 workers need food worker cards.
KNIGHTS INN	Continental Brkfst	818 N. 1ST STREET	YAKIMA	8/13/2009	Routine Inspection	0/0
KRACKER BARRELL	Mini-mart	48851 U.S. HWY. 12	NACHES	8/21/2009	Routine Inspection	0/0
LA CARRETA MEXICAN RESTAURANT & LOUNGE	Restaurant/Lounge	1006 S. 3RD AVENUE	YAKIMA	8/12/2009	Pre-Opening Inspection	

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA CASITA	Restaurant	3206 MAIN STREET	UNION GAP	8/7/2009	Routine Inspection	0/0 Operating in compliance
LA MILPA MARKET	Mini-mart	602 1/2 W NOB HILL BLVD.	YAKIMA	8/12/2009	Routine Inspection	0/0
MINER'S DRIVE IN	Restaurant	2415 S. 1ST STREET	UNION GAP	8/4/2009	Routine Inspection	10/15 Missing FWCs, inaccurate metal stem thermometer
NEW YORK TERIYAKI	Restaurant	2518 MAIN STREET	UNION GAP	8/19/2009	Routine Inspection	5/10 Missing FWCs
OLD COUNTRY BUFFET	Restaurant	2513 MAIN STREET	UNION GAP	8/17/2009	Routine Inspection	15/30 Missing FWCs, improper chemical storage
OLIVE GARDEN ITALIAN RESTAURANT #1352	Restaurant/Catering	222 E YAKIMA AVE.	YAKIMA	8/12/2009	Routine Inspection	15/20 Missing FWCs, improperly stocked hand wash sink
OUTBACK STEAKHOUSE	Restaurant/Catering	2412 RUDKIN RD.	UNION GAP	8/21/2009	Routine Inspection	45/58 Missing FWCs, improperly cooling PHF, unlabeled chemicals
				8/27/2009	Follow-Up Inspection	5/5 Missing FWCs
OXFORD SUITES	Restaurant	1701 E. YAKIMA AVE.	YAKIMA	8/20/2009	Routine Inspection	30/30 Improperly hot holding PHF, inaccurate metal stem thermometer
PANADERIA DELICIAS	Bakery	1401 FRUITVALE BLVD	YAKIMA	8/12/2009	Routine Inspection	5/5 eggs not cold holding adequately

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS. DR.	YAKIMA	8/12/2009	Follow-Up Inspection	25/25 BHC with RTE foods, improperly cold holding PHF
PAPA MURPHY'S PIZZA	Restaurant	64 W. NOB HILL BLVD.	YAKIMA	8/4/2009	Routine Inspection	10/15 improperly stocked hand wash sink
PARK 'N PAK	Mini-mart	905 LINCOLN AVE.	SUNNYSIDE	8/12/2009	Follow-Up Inspection	0/0
PASTA EXPRESS/ELAINE'S CATERING	Restaurant/Catering	1304 N. 1ST STREET	YAKIMA	8/6/2009	Routine Inspection	5/12 Missing FWC
PHO TAN	Restaurant	420 S. 72ND AVE. # 160	YAKIMA	8/27/2009	Routine Inspection	85/119 Missing FWCs, hands not washed as required, improperly stocked hand wash sink, raw meats contact surfaces not sanitized, PHF at RTS, no metal stem thermometer available, unlabeled chemicals, improper storage of chemicals
PIZZA HUT # 11	Restaurant	2002 W. NOB HILL BLVD.	YAKIMA	8/18/2009	Routine Inspection	35/43 PIC answered incorrectly, missing FWCs, BHC by scooping ice with cup, unlabeled chemicals
POWERHOUSE GRILL	Restaurant	3807 RIVER RD.	YAKIMA	8/17/2009	Routine Inspection	35/40 Missing FWC, improperly hot holding PHF, metal stem thermometer not available
				8/25/2009	Follow-Up Inspection	35/35 PIC answered incorrectly, improperly cooling PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
QUALITY INN	Continental Brkfst	12 VALLEY MALL BLVD.	UNION GAP	8/5/2009	Routine Inspection	35/43 PIC answered incorrectly, missing FWC, improperly stocked hand wash sink, improperly cold holding PHF, no metal stem thermometer available
				8/12/2009	Follow-Up Inspection	5/10 Missing FWC
QUALITY MART	Restaurant/Catering	616 S 3RD ST.	YAKIMA	8/10/2009	Routine Inspection	10/15 inadequate handwashing facilities, improper backflow prevention measures for mop sink.
RED LOBSTER RESTAURANT # 597	Restaurant	905 N. 1ST STREET	YAKIMA	8/19/2009	Routine Inspection	5/15 Missing FWC
RED ROBIN AMERICA'S GOURMET BURGERS & SPIRITS	Restaurant/Lounge	2706 W. NOB HILL BLVD.	YAKIMA	8/5/2009	Routine Inspection	5/15 Missing FWCs
ROADRUNNER	Mini-mart	1408 N. 1ST STREET	YAKIMA	8/19/2009	Routine Inspection	0/3
SAID'S MARKET & DELI	Mini-mart	315 N 8TH ST.	YAKIMA	8/28/2009	Routine Inspection	10/13 No hot water, limited menu to prepackaged food until Health District can verify hot water is available.
				8/31/2009	Follow-Up Inspection	30/38 Missing FWCs, improperly stocked hand wash sink, they have hot water now, no metal stem thermometer, improper chemical storage
SILVER BEACH RESORT	Rest - Seasonal	40350 HWY 12	NACHES	8/21/2009	Routine Inspection	15/20 - Cook prepared hamburger with bare hands.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SMITTY'S CONOCO # 300	Mini-mart	1829 S 1ST STREET	SUNNYSIDE	8/12/2009	Routine Inspection	20/25 - expired food worker card, improper hot holding temperatures, no hot water at handwash sink or dishwash sinks in kitchen. Not able to prepare food until hot water is available.
SNIPES MOUNTAIN BREWING, INC.	Restaurant	905 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	8/20/2009	Routine Inspection	5/5 Missing FWCs
SPORTS CENTER	Restaurant/Lounge	214 E YAKIMA AVE.	YAKIMA	8/10/2009	Routine Inspection	45/55 FWCs not available, improperly cold holding PHF, improperly cooling PHF
				8/17/2009	Follow-Up Inspection	5/5 Missing FWCs
STATE FAIR RACEWAY	Catering	1301 FAIR AVE.	YAKIMA	8/18/2009	Routine Inspection	10/10 (Meza) Missing soap at handwash sink, no other problems. Inspection done on 7/18/09
STICKY FINGERS BAKERY & CAFE	Restaurant	217 NACHES AVE.	NACHES	8/14/2009	Routine Inspection	15/20 - Several workers need food worker cards and moldy cheese found in refrigerator.
STM MARKET	Mini-mart	309 YAKIMA VALLEY HWY.	SUNNYSIDE	8/12/2009	Routine Inspection	0/0
SUBWAY	Restaurant	905 -B VINTAGE VALLEY PARKWAY	ZILLAH	8/3/2009	Routine Inspection	10/10 PIC answered incorrectly, missing FWCs
SUGAR SHACK	Espresso Stand	1302 FAIR AVE.	YAKIMA	8/26/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUN COUNTRY INN	Snack Bar	1700 1ST ST N	YAKIMA	8/21/2009	Routine Inspection	45/55 Missing FWCs, PIC answered incorrectly, improperly cold holding boiled eggs in ice, unlabeled chemical, no receipts for eggs
				8/31/2009	Follow-Up Inspection	25/35 Improperly cold holding PHF, unlabeled chemical, location of metal stem thermometer not known
SUN MART #25	Mini-mart	900 VINTAGE VALLEY PARKWAY	ZILLAH	8/31/2009	Routine Inspection	10/10 Unlabeled chemical
SUPER "D" BINGO SNACK BAR	Snack Bar	1414 S. 3RD. AVE.	YAKIMA	8/28/2009	Routine Inspection	35/38 BHC of RTE foods, improper reheating for hot holding, no metal stem thermometer
TACOS EL GRULLO	Restaurant/Catering	102 N. ILER STREET	MOXEE	8/10/2009	Follow-Up Inspection	0/0 no repeated issues observed
TACOS ISABEL 2	Mobile	VARIOUS FIELD LOCATIONS.	SUNNYSIDE	8/24/2009	Pre-Opening Inspection	Ok'd to open after payment for licensing.
TACOS LUNA	Mobile	206 N. EUCLID - GRANDVIEW	GRANDVIEW	8/27/2009	Routine Inspection	0/0
TACOS MICHOACAN	Mobile	Monson Fruit 252 N. Rushmore Road	SELAH	8/31/2009	Compliance Inspection	10/10 - refrigerator and food inside refrigerator was 56 degrees.
TAMMY'S MEXICAN RESTAURANT	Restaurant	1009 N. 1ST STREET	YAKIMA	8/12/2009	Routine Inspection	5/8 no metal stem thermometer, possibility of improper thawing of meats

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TEFFT CELLARS	Winery	2862 N OUTLOOK RD	OUTLOOK	8/28/2009	Routine Inspection	5/5 Missing FWCs
TERIYAKI GRILLE OF SELAH	Restaurant	723 NORTH PARK CENTER	SELAH	8/10/2009	Routine Inspection	0/0
TUSCAN SANDS CASINO	Restaurant/Lounge	1002 VINTAGE VALLEY PARKWAY	ZILLAH	8/28/2009	Routine Inspection	25/28 Missing FWCs, improperly stocked hand wash sink, unlabeled chemicals, improper chemical storage
VALLEY VIEW MARKET	Mini-mart	107 W. LINCOLN	SUNNYSIDE	8/17/2009	Routine Inspection	0/0
VALLEY VIEW MARKET II	Mini-mart	618 E. TOPPENISH AVE.	TOPPENISH	8/31/2009	Routine Inspection	15/15 Owner did not have a valid FW card, hand wash sink was not being used for handwashing. It was being used to store items in it.
VITAMIX ROAD SHOW	Serving Site	2310 LONGFIBER RD. - UNION GAP	UNION GAP	8/10/2009	Routine Inspection	0/5
WAPATO DAIRY QUEEN	Restaurant	318 S. WAPATO AVE.	WAPATO	8/26/2009	Routine Inspection	35/40 Missing FWCs, BHC of RTE foods, thermocouple is not working, improper chemical storage.
WASHINGTON FRUIT PLACE	Fruit Stand	1209 PECKS CANYON RD.	YAKIMA	8/26/2009	Routine Inspection	10/10 refrigeration not properly cold holding PHF contents
WINEGLASS CELLARS	Winery	260 N BONAIR	ZILLAH	8/28/2009	Routine Inspection	5/5 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA BEARS	Snack Bar - Seasonal	1301 S. FAIR AVE	YAKIMA	8/25/2009	Routine Inspection	5/10 Raw meats stored above other foods, ice scoop stored inside ice chest. Inspection done on 7/18/09
YAKIMA SPEEDWAY	Snack Bar - Seasonal	1600 PACIFIC AVE.	YAKIMA	8/25/2009	Routine Inspection	0/0 No problems, inspected on 7/18/09.