

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
AHTANUM FOOD MART	Mini-mart	8407 AHTANUM RD.	YAKIMA	9/24/2009	Routine Inspection	PIC answered incorrectly
AMERICAN LEGION # 133		210 E 3RD ST	WAPATO	9/3/2009	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sinks, no metal stem thermometer
AMERICAN LEGION POST 50	Restaurant	13-17 W. 1ST AVE.	TOPPENISH	9/24/2009	Routine Inspection	10/10 PIC answered incorrectly
APPLE COUNTRY BED & BREAKFAST	Bed & Breakfast	4561 OLD NACHES HWY	NACHES	9/22/2009	Routine Inspection	5/10 - Expired food worker card
AUNTIE ANNE'S SOFT ROLLED PRETZELS		2529 MAIN ST. # 183	UNION GAP	9/28/2009	Pre-Opening Inspection	approved to open.
BEEM'S VALLEY NUTRITION	Grocery Store	2415 S 14TH STREET	UNION GAP	9/21/2009	Routine Inspection	0/0 No problems

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BENCH MARK SHELL	Mini-mart	1202 N 1ST ST.	YAKIMA	9/15/2009	Routine Inspection	0/10
BEST WESTERN TOPPENISH INN	Continental Brkfst	515 S. ELM STREET	TOPPENISH	9/11/2009	Routine Inspection	25/33 PIC answered incorrectly, missing FWC, improperly cold holding PHF, no metal stem thermometer
BLUE MOON BAR & GRILL	Tavern	624 E EDISON AVE.	SUNNYSIDE	9/16/2009	Routine Inspection	10/10 - No hot water in either restroom.
BLUE SKY MARKET #2	Grocery Store	330 NORTH STREET	MABTON	9/23/2009	Routine Inspection	35/45 Missing FWCs, blocked hand wash sink, no shellfish tags available, improperly hot holding PHF, unlabeled chemical
BRATS N' BREWS	Restaurant	5110 TIETON DR. # 270	YAKIMA	9/2/2009	Pre-Opening Inspection	approved to open.
BUENA VISTA MINI MARKET	Mini-mart	701 S. 6TH	SUNNYSIDE	9/16/2009	Routine Inspection	15/15 - No paper towels at handwash sink in restroom and improper hot holding temperatures.
BURGER RANCH OF SELAH	Restaurant	9 1ST ST S	SELAH	9/10/2009	Routine Inspection	30/30 - expired food worker cards and improper hot holding temperatures.
CARNICERIA LA MICHOACANA	Meat Market	818 WISCONSIN AVE.	TIETON	9/11/2009	Follow-Up Inspection	No repeat issues
CASINO CARIBBEAN	Restaurant	1901 E. BOGGESS STREET - YAKIMA	YAKIMA	9/1/2009	Follow-Up Inspection	10/15 Improperly stocked hand wash sink

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CLARION HOTEL	Restaurant/Catering	1507 N 1ST STREET	YAKIMA	9/23/2009	Routine Inspection	40/45 PIC answered incorrectly, missing FWCs, improperly hot holding PHF, need advisory for undercooked steaks on menu
COCINA ARIEL	Commissary	807 W. NOB HILL BLVD.	YAKIMA	9/9/2009	Routine Inspection	0/8 Freezer needs cleaning, the facility needs general cleaning.
COFFEE AT TIFFANY'S	Espresso Stand	402 S 1ST ST.	SELAH	9/4/2009	Routine Inspection	0/5
COFFEE CRAVINGS	Espresso Stand	118 W. YAKIMA AVE.	YAKIMA	9/21/2009	Routine Inspection	5/10 Missing FWC
COTTAGE ESPRESSO	Espresso Stand	1101 W. NOB HILL BLVD.	YAKIMA	9/15/2009	Routine Inspection	15/15 Improperly stocked hand wash sink, blocked hand wash sink, missing FWC
DAD'S FAMILY RESTAURANT	Restaurant	433 S ELM	TOPPENISH	9/10/2009	Routine Inspection	35/35 Bare hand contact with ready to eat foods, improper hand washing observed, no metal stem thermometer to evaluate temp. of PHF's.
DEJA BREW	Espresso Stand	315 W. WASHINGTON	YAKIMA	9/17/2009	Routine Inspection	15/33 Missing FWC, improperly stocked hand wash sink, blocked hand wash sink,
DENNY'S RESTAURANT # 7869	Restaurant	2603 RUDKIN RD	UNION GAP	9/15/2009	Routine Inspection	10/10 Improper cold holding of PHF's in one of the refers by grill. They have called someone to come look at the unit.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DOC'S ON THE GREEN	Restaurant	530 CHERRY HILL RD. - GRANGER	GRANGER	9/3/2009	Routine Inspection	10/13 Unlabeled chemical, improper chemical storage
DONALD TEXACO	Mini-mart	2640 DONALD RD. - WAPATO	WAPATO	9/24/2009	Routine Inspection	55/62 PIC answered incorrectly, missing FWC, improperly stocked hand wash sink, improperly hot holding PHF, improper chemical storage
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	9/16/2009	Routine Inspection	40/40 No HW, shellfish tags not being kept, possible food contamination, rm temp. storage.
ESPRESSO ETC.	Espresso Stand	2600 W NOB HILL	YAKIMA	9/17/2009	Routine Inspection	0/0
FIESTA FOODS	Grocery Store	1008 E. NOB HILL BLVD.	YAKIMA	9/21/2009	Routine Inspection	30/33 Missing FWCs, improperly stocked hand wash sinks, improperly hot holding PHF, unlabeled chemicals
FILIPINO AMERICAN TAKE-OUT THURSDAY	Snack Bar	211 W. 1ST STREET	WAPATO	9/24/2009	Routine Inspection	15/23 Missing FWC, unlabeled chemical
GOLDEN COIN RESTAURANT	Restaurant	1606 W. NOB HILL BLVD.	YAKIMA	9/9/2009	Compliance Inspection	0/0
GOTTA STOP MABTON	Mini-mart	HWY 22 & MAIN	MABTON	9/23/2009	Routine Inspection	30/38 PIC answered incorrectly, missing FWC, improperly stocked hand wash sinks, improper chemical storage

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GRAND BUFFET	Restaurant	19 E. YAKIMA AVE.	YAKIMA	9/2/2009	Follow-Up Inspection	40/58 Missing FWCs, BHC of RTE foods, improperly stocked hand wash sink, improperly cold holding PHF
				9/11/2009	Other Inspection	Fire in the kitchen occurred on 9/5/09. Food exposed to smoke was thrown out and the whole kitchen was completely cleaned. Approved to re-open.
				9/16/2009	Compliance Inspection	5/23 Missing FWCs
GWEN'S PLACE	Restaurant/Catering	1103 W SPRUCE	YAKIMA	9/22/2009	Routine Inspection	10/10 Improperly stocked hand wash sink
HAROLD'S GENERAL MERCHANDISE	Grocery Store	4080 HARRAH RD	HARRAH	9/24/2009	Routine Inspection	25/30 Improper chemical storage, missing FWCs, improperly stocked hand wash sink
HERITAGE UNIVERSITY	Restaurant	3240 FORT	TOPPENISH	9/23/2009	Routine Inspection	20/23 Missing FWC, hands not wash as required, inaccurate metal stem thermometers
HOT - TACO - DOG TRUCK	Mobile	417 YAKIMA VALLEY HWY.	SUNNYSIDE	9/18/2009	Routine Inspection	15/15 missing FWCs, improper cold holding of PHFs
JAVA JITTERS ESPRESSO HOUSE	Espresso Stand	103 W. FREMONT	SELAH	9/9/2009	Routine Inspection	0/0
JENNY MAE'S GLUTEN - FREE GOODIES	Bakery	8308 AHTANUM RD	YAKIMA	9/17/2009	Pre-Opening Inspection	approved to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	9/9/2009	Routine Inspection	45/53 - Raw chicken stored above produce, improper cooling, and food at room temperature.
KABOB HOUSE	Restaurant	3609 W. NOB HILL BLVD	YAKIMA	9/1/2009	Routine Inspection	0/5 dishwasher was not properly sanitizing
KANA WINERY	Winery	6 S 2ND ST.	YAKIMA	9/11/2009	Routine Inspection	5/5 Missing FWC
LA PETUNIA # 2	Meat Market	1402 S FAIR AVE.	YAKIMA	9/11/2009	Follow-Up Inspection	0/0 They have corrected all the problems from the previous inspection.
LAREDO DRIVE-IN	Restaurant	9921 HWY. 12	NACHES	9/22/2009	Routine Inspection	0/3 - Improper storage of ice cream scoops
LINCOLN AVENUE ESPRESSO BAR	Espresso Stand	1801 W LINCOLN AVE	YAKIMA	9/17/2009	Routine Inspection	10/28 Improper chemical storage, need 3 compartment sink for dishwashing
MANHATTAN STATION ESPRESSO	Espresso Stand	416 S. 1ST STREET	SELAH	9/4/2009	Routine Inspection	5/10 - 3 workers need food worker cards.
MASSET WINERY	Winery	620 E PARKER HTS RD.	WAPATO	9/11/2009	Routine Inspection	5/5 Missing FWC
MC DONALD'S RESTAURANT	Restaurant	1601 W LINCOLN	YAKIMA	9/16/2009	Routine Inspection	15/15 Improper chemical storage, missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NEW YORK TERIYAKI & BURGERS	Restaurant	822 N 1ST ST.	YAKIMA	9/17/2009	Routine Inspection	30/40 Missing FWC, PHF at RTS
OLD TIMES RESTAURANT	Restaurant	1026 1ST ST N	YAKIMA	9/22/2009	Routine Inspection	20/20 Missing FWCs, improperly cold holding PHF, PIC answered incorrectly
OLD TOWN PUMP	Tavern	3716 MAIN STREET	UNION GAP	9/14/2009	Routine Inspection	0/3
OLD TOWN STATION	Restaurant	2530 MAIN ST.	UNION GAP	9/14/2009	Routine Inspection	30/35 Missing FWCs, BHC of RTE foods, unlabeled chemicals
ORANGE JULIUS - VALLEY MALL	Restaurant	2515 MAIN ST	UNION GAP	9/14/2009	Routine Inspection	5/5 Missing FWC
PANADERIA & ANTOJITOS MEXICANOS RODRIGUEZ	Restaurant	206 E. WINE COUNTRY RD.	GRANDVIEW	9/1/2009	Routine Inspection	10/15 Raw meats stored above other foods, thermometer needs to be calibrated, foods stored on floor.
PANADERIA EL SOLISITO	Bakery	303 W PINE ST.	YAKIMA	9/23/2009	Routine Inspection	0/0
PAPA MURPHY'S	Restaurant	2695 E. LINCOLN	SUNNYSIDE	9/16/2009	Routine Inspection	5/5 - 4 workers need food worker cards.
PAPA MURPHY'S PIZZA	Restaurant	205 S. 1ST	SELAH	9/8/2009	Routine Inspection	5/5 - 2 workers need food worker cards.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	9/15/2009	Routine Inspection	75/85 Improperly stocked hand wash sink, improperly cooling PHF, PHF at RTS, unlabeled chemicals
PHO TAN	Restaurant	420 S. 72ND AVE. # 160	YAKIMA	9/3/2009	Follow-Up Inspection	25/40 PHF stored at room temperature
PIETY FLATS WINERY	Winery	2560 DONALD/WAPATO ROAD	WAPATO	9/11/2009	Routine Inspection	0/5
PIZZA HUT # 11	Restaurant	2002 W. NOB HILL BLVD.	YAKIMA	9/9/2009	Follow-Up Inspection	5/5 Missing FWCs
POOCHIE'S	Restaurant	301 S. 3RD AVE.	YAKIMA	9/30/2009	Routine Inspection	30/30 - Improper cooling
POWERHOUSE GRILL	Restaurant	3807 RIVER RD.	YAKIMA	9/1/2009	Compliance Inspection	5/5 Missing FWCs
RANCH HOUSE RESTAURANT	Restaurant	8807 AHTANUM RD	YAKIMA	9/24/2009	Routine Inspection	0/8
RESER'S FINE FOODS	Grocery Store	605 E. NOB HILL BLVD.	YAKIMA	9/22/2009	Routine Inspection	0/2
SAFEWAY # 584	Grocery Store	711 W. 1ST AVENUE	TOPPENISH	9/17/2009	Routine Inspection	25/30 Missing FWCs, improperly stocked hand wash sink, improperly cold holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SAINT JACK'S VIDEO	Snack Bar	614 W. 1ST STREET	WAPATO	9/3/2009	Routine Inspection	10/10 No metal stem thermometer available, missing FWC
SAVANNAH DESERT ESPRESSO	Espresso Stand	417 HIWAY 12	SUNNYSIDE	9/23/2009	Pre-Opening Inspection	Approved to open.
SHIRLEY'S ESPRESSO	Espresso Stand	1206 N. 16TH AVE. - YAKIMA	YAKIMA	9/10/2009	Routine Inspection	5/10 Missing FWC
SKATELAND FUN CENTER	Snack Bar	2506 OLD TOWN RD	UNION GAP	9/12/2009	Routine Inspection	15/15 Missing FWCs, unlabeled chemical
SMITTY'S CAR WASH & MINI MART	Mini-mart	304 W. MEAD AVE.	YAKIMA	9/14/2009	Routine Inspection	0/0
SNYDER'S GERMAN SAUSAGE HAUS	Meat Market	3504 W NOB HILL BLVD.	YAKIMA	9/16/2009	Routine Inspection	0/5 labeling corrections
SPUR TAVERN	Tavern	3980 HARRAH RD.	HARRAH	9/10/2009	Routine Inspection	35/40 Improperly cooling PHF, missing FWCs
				9/24/2009	Follow-Up Inspection	5/5 Missing FWC
STEMS	Winery	411 E. YAKIMA AVE.	YAKIMA	9/11/2009	Routine Inspection	15/17 Missing FWC, no soap at hand wash sink
STOP-N-GO EXPRESS-O	Espresso Stand	3005 MAIN STREET	UNION GAP	9/23/2009	Routine Inspection	5/13 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SUBWAY # 33723	Restaurant	425 S. ELM	TOPPENISH	9/21/2009	Routine Inspection	5/5 Missing FWC.
SUBWAY # 3842	Restaurant	2301 W NOB HILL BLVD	YAKIMA	9/14/2009	Routine Inspection	15/20 Missing FWC, improperly stocked hand wash sink
SUBWAY #17791	Restaurant	613 N 1ST ST.	YAKIMA	9/9/2009	Routine Inspection	20/23 Improperly stocked hand wash sink, improper chemical storage
SUN COUNTRY INN	Snack Bar	1700 1ST ST N	YAKIMA	9/10/2009	Compliance Inspection	0/5
SUNDANCE ESPRESSO	Espresso Stand	202 S 1ST ST.	SELAH	9/3/2009	Routine Inspection	0/0
SUNNYSIDE FOOD MART	Mini-mart	600 HWY 12	SUNNYSIDE	9/21/2009	Routine Inspection	10/10 - moldy and expired sandwiches.
SUNNYSIDE INN BED & BREAKFAST	Bed & Breakfast	804 E EDISON AVE.	SUNNYSIDE	9/16/2009	Routine Inspection	0/0
SUPER "D" BINGO SNACK BAR	Snack Bar	1414 S. 3RD. AVE.	YAKIMA	9/3/2009	Follow-Up Inspection	15/26 Hands not washed as required
SUPER TACOS	Mobile	At laundromat located at the corner of Lincoln and 1st street in Sunnyside	SUNNYSIDE	9/30/2009	Routine Inspection	0/0
TACO BELL - SELAH	Restaurant	805 NORTHPARK DR.	SELAH	9/2/2009	Pre-Opening Inspection	OK to open - see report in imaging

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO EL GRANDE # 2	Mobile	1402 S. Fair Ave. Yakima 8AM-9PM	YAKIMA	9/11/2009	Follow-Up Inspection	0/0 They have corrected all the problems from the previous inspection.
TACO TIME	Restaurant	701 W YAKIMA AVE.	YAKIMA	9/17/2009	Routine Inspection	0/0
TACOS APATZINGAN	Restaurant/Catering	808 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	9/23/2009	Routine Inspection	0/5 No major problems. One package of food in freezer was uncovered.
TACOS ARIEL	Mobile	809 W Nob Hill BLVD	YAKIMA	9/9/2009	Routine Inspection	10/23 Expired FWC, in use utensils improperly stored.
TACOS ISABEL 2	Mobile	VARIOUS FIELD LOCATIONS.	SUNNYSIDE	9/30/2009	Routine Inspection	0/0
TACOS SAHMICH	Mobile - Seasonal	512 W. 1ST STREET	TOPPENISH	9/10/2009	Routine Inspection	15/15 Bare hand contact with ready to eat foods.
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	9/24/2009	Routine Inspection	35/48 No hot water at handwash sink, improper re-heating, improper cold holding, missing thermometers, improperly stored single-use utensils.
TERIYAKI GRILLE	Restaurant	901 W. YAKIMA AVE. SUITE# 6-B	YAKIMA	9/15/2009	Routine Inspection	0/5
THAI ORCHID	Restaurant/Catering	14 N 2ND ST.	YAKIMA	9/15/2009	Routine Inspection	10/15 Missing FWC, no metal stem thermometer

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE BREAKFAST HOUSE	Restaurant/Catering	608 MAPLE STREET	TIETON	9/11/2009	Follow-Up Inspection	5/5 improper hot holding of phf
THE DELI AT PERRY TECH	Espresso Stand/Deli	2011 W. WASHINGTON AVE.	YAKIMA	9/10/2009	Routine Inspection	25/28 Missing FWCs, inaccessible hand wash sink and improperly stocked hand wash sink, improperly labeled chemical
THE FARMHOUSE CAFE	Restaurant	4081 HARRAH RD.	HARRAH	9/10/2009	Routine Inspection	0/5
THE LUNCH BOX	Restaurant	14 E. "A" STREET	YAKIMA	9/9/2009	Routine Inspection	15/23 Missing FWC, improper cold holding PHF
THE RIDGE STUDENT STORE @ WEST VALLEY HIGH SCHOOL	Snack Bar		YAKIMA	9/24/2009	Pre-Opening Inspection	approved to open.
TJ'S ON THE GO ESPRESSO	Mobile			9/11/2009	Routine Inspection	0/0
TOP FOOD & DRUG # 35	Grocery Store	2203 S 1ST ST.	YAKIMA	9/21/2009	Routine Inspection	25/33 Missing FWCs, improperly stocked hand wash sinks, improper chemical storage
TOPPENISH MARKET PLACE	Grocery Store	512 W 1ST	TOPPENISH	9/21/2009	Routine Inspection	0/0
TOPPENISH SHELL	Mini-mart	401 S ELM	TOPPENISH	9/21/2009	Routine Inspection	10/10 repeat item, kitchen hand washing sink not working - follow-up required

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
UNIVERSITY BREW COFFEEHOUSE	Espresso Stand	171 IRON HORSE COURT SUITE # 102	YAKIMA	9/17/2009	Routine Inspection	5/15 Improperly cold holding PHF
WALGREENS # 12275	Grocery Store	610 YAKIMA AV W	YAKIMA	9/28/2009	Routine Inspection	0/0
				9/28/2009	Routine Inspection	0/0
WAPATO DAIRY QUEEN	Restaurant	318 S. WAPATO AVE.	WAPATO	9/9/2009	Follow-Up Inspection	0/0
WRAY'S MEADOWBROOK	Grocery Store	7200 W. NOB HILL BLVD.	YAKIMA	9/16/2009	Routine Inspection	20/30 Missing FWCs, improperly stocked hand wash sink, food worker did not know location of metal stem thermometer
XCAPE SALON & CAFE	Deli	508 HIWAY 12	SUNNYSIDE	9/23/2009	Pre-Opening Inspection	Several items need to be done before opening.
YAKIMA AVENUE DAIRY QUEEN	Restaurant	801 E YAKIMA AVE.	YAKIMA	9/17/2009	Routine Inspection	5/10 Missing FWC
YAKIMA GROCERY OUTLET	Grocery Store	2109 S. 1ST STREET	YAKIMA	9/14/2009	Routine Inspection	0/0
YAKIMA VALLEY JUSTICE CENTER	Jail	1500 PACIFIC	YAKIMA	9/17/2009	Routine Inspection	5/10 Missing FWC
ZESTA CUCINA	Restaurant	5110 TIETON DRIVE # 210	YAKIMA	9/2/2009	Routine Inspection	30/30 - several workers need food worker cards, handwash sink in the bar did not have handwash soap, and bare hand contact with ready-to-eat food.