

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
16TH STREET MARKET	Mini-mart	1121 16TH ST S	SUNNYSIDE	10/23/2009	Routine Inspection	25/40 PIC answered incorrectly, missing FWCs, improperly stocked hand wash sinks, no metal stem thermometer available
41ST STREET ESPRESSO	Espresso Stand	4112 1/2 TERRACE HGTS. DR.	YAKIMA	10/5/2009	Routine Inspection	0/5
7-ELEVEN #2362-14435E	Mini-mart	3908 TERRACE HGTS DR	YAKIMA	10/13/2009	Routine Inspection	20/23 Hands not washed before donning gloves, missing FWCs
ANTOJITOS MEXICANOS RESTAURANT MI TIERRA	Restaurant	3512 SUMMITVIEW AVE	YAKIMA	10/7/2009	Pre-Opening Inspection	Not ready to open.
				10/16/2009	Pre-Opening Inspection	Ok to open.
APPLE BIN SHELL	Mini-mart	3707 W. NOB HILL BLVD.	YAKIMA	10/22/2009	Routine Inspection	10/10 - Food worker cards needed and improper hot holding temperatures.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ARCTIC CIRCLE	Restaurant	3912 W NOB HILL	YAKIMA	10/19/2009	Routine Inspection	20/28 Missing FWC, hands not washed as required
ARTZ-FOX ELEMENTARY SCHOOL	School	805 WASHINGTON ST	MABTON	10/22/2009	Routine Inspection	0/0
AUNTIE ANNE'S SOFT ROLLED PRETZELS		2529 MAIN ST. # 183	UNION GAP	10/27/2009	Routine Inspection	15/20 FWCs were not available, unlabeled chemicals
B.J.'S COFFEE BARN	Espresso Stand	514 W. 1ST STREET	WAPATO	10/16/2009	Routine Inspection	0/0
BARREL HOUSE	Restaurant	22 N 1ST ST.	YAKIMA	10/5/2009	Routine Inspection	20/25 Improperly stocked hand wash sink, unlabeled chemicals
				10/6/2009	Follow-Up Inspection	10/10 Improperly stocked hand wash sink
BASKIN-ROBBINS	Ice Cream Parlor	3802 W. NOB HILL BLVD.	YAKIMA	10/22/2009	Routine Inspection	5/8 Missing FWCs
BLUE SKY MARKET #2	Grocery Store	330 NORTH STREET	MABTON	10/19/2009	Follow-Up Inspection	15/15 Missing FWCs, unlabeled chemical
BOOMER'S BAR & GRILLE	Restaurant/Cateri ng	1719 S 1ST ST	YAKIMA	10/19/2009	Routine Inspection	50/68 - No FWC available, no soap and paper towels available at handwash sink in the kitchen, container of pooled eggs in the refrigerator, meat loaf at 103 degrees, mixer containers stored in ice used for drinks.
BRATS N' BREWS	Restaurant	5110 TIETON DR. # 270	YAKIMA	10/6/2009	Routine Inspection	5/5 - Food worker cards not available.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BREWLESQUE ESPRESSO II	Espresso Stand	2425 RUDKIN RD. - UNION GAP	YAKIMA	10/30/2009	Routine Inspection	5/10 Expired FWC's, freezer in bathroom.
BUENA TAVERN	Tavern	670 BUENA RD	BUENA	10/23/2009	Routine Inspection	20/20 Missing FWCs, PIC answered incorrectly, unlabeled chemical
BURGER KING	Restaurant	1605 E. YAKIMA AVE.	YAKIMA	10/15/2009	Routine Inspection	20/25 - Several workers need food worker cards and ice scoop laying in ice machine.
BURGER KING - SO. 1ST	Restaurant	2113 S. 1ST STREET	YAKIMA	10/12/2009	Routine Inspection	10/28 Missing FWCs, batteries for thermocouple were not working
CEDARS SUITES YAKIMA	Continental Brkfst	1010 E. "A" STREET	YAKIMA	10/22/2009	Routine Inspection	35/48 PIC did not answer correctly, missing FWC, improperly cold holding PHF, no metal stem thermometer available, unlabeled chemicals
				10/30/2009	Follow-Up Inspection	10/13 Improperly cold holding PHF
CHIEF KAMIAKIN ELEMENTARY SCHOOL	School	1700 E. LINCOLN AVE	SUNNYSIDE	10/28/2009	Routine Inspection	0/0
CHINA GROVE	Restaurant	3210 PICARD PLACE	SUNNYSIDE	10/23/2009	Routine Inspection	50/56 PHF at RTS, BHC of RTE foods, improperly cold holding PHF
				10/30/2009	Follow-Up Inspection	35/38 Cooling PHF improperly, improperly cold holding PHF
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	10/23/2009	Routine Inspection	45/63 Missing FWC, improperly stocked hand wash sink, improperly cooling PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CLARION HOTEL	Restaurant/Catering	1507 N 1ST STREET	YAKIMA	10/14/2009	Follow-Up Inspection	0/0
CLEMENCE R. CARLSON VFW POST # 6929	Restaurant	132 DIVISION ST	GRANDVIEW	10/2/2009	Routine Inspection	10/10 - No paper towels available at handwash sink at the bar.
COFFEE CORRAL	Espresso Stand	802 W. 1ST AVE.	TOPPENISH	10/6/2009	Routine Inspection	15/20 Missing FWC, improperly stocked hand wash sinks
COOL MART	Mini-mart	101 E 1ST STREET	GRANGER	10/30/2009	Routine Inspection	15/25 Missing FWC, improperly stocked hand wash sink
COTTONWOOD ELEMENTARY SCHOOL	School	1041 S. 96TH AVE	YAKIMA	10/16/2009	Routine Inspection	0/0
CRUISIN COFFEE SOUTH FIRST	Espresso Stand	111 E. WASHINGTON AVE.	YAKIMA	10/26/2009	Routine Inspection	15/22 Missing FWCs, unlabeled chemicals
CULTURA WINERY	Winery	3601 HIGHLAND DR.	ZILLAH	10/16/2009	Routine Inspection	5/5 Missing FWCs
D.J.'S COFFEE CAFE	Espresso Stand	1001 WASHINGTON AVE.	YAKIMA	10/6/2009	Routine Inspection	5/15 missing FWCs, missing temp guages in refrigerators, permanent water source w/limited waste water containment
DAWN TIL DUSK ESPRESSO	Espresso Stand	9918 U. S. HWY. 12	NACHES	10/26/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DONALD TEXACO	Mini-mart	2640 DONALD RD. - WAPATO	WAPATO	10/5/2009	Follow-Up Inspection	5/13 Missing FWC
EL MIRADOR II RESTAURANT	Restaurant/Lounge	1601 E. YAKIMA AVE.	YAKIMA	10/7/2009	Follow-Up Inspection	They have corrected problems from the previous inspection.
EL MIRADOR MEXICAN RESTAURANT	Restaurant	418 W. WALNUT	YAKIMA	10/15/2009	Routine Inspection	5/5 improper storage of raw meats, (be sure shellfish id tags are being properly retained during next inspection)
ELITE EXPRESS	Mini-mart	2501 TERRACE HGTS. DR.	YAKIMA	10/19/2009	Routine Inspection	15/15 Missing FWCs, improper chemical storage
FRATERNAL ORDER OF EAGLES		515 S. DIVISION	TOPPENISH	10/1/2009	Routine Inspection	0/13 refrigerator units missing temperature gauges, food stored on floor, excessive clutter hampering proper cleaning of surfaces.
GAS MAX	Mini-mart	608 WINE COUNTRY ROAD	GRANDVIEW	10/9/2009	Routine Inspection	30/33 Missing FWCs, improperly hot holding PHF
GEPPETTO'S ITALIAN BISTRO & DELI	Deli	3105 SUMMITVIEW AV	YAKIMA	10/26/2009	Routine Inspection	0/0
GOLDEN PHEASANT RESTAURANT	Restaurant	632 EDISON AVE	SUNNYSIDE	10/27/2009	Routine Inspection	0/15
GOODY'S RESTAURANT	Restaurant	1203 N. 1ST STREET	YAKIMA	10/14/2009	Routine Inspection	20/20 Missing FWC, improperly stocked hand wash sinks, improperly cold holding PHF, need metal thermometer that reads 41 F or below

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOT COFFEE?	Espresso Stand	3203 SUMMITVIEW AVE.	YAKIMA	10/23/2009	Routine Inspection	5/18 Missing FWC
HARRAH ELEMENTARY SCHOOL	School	3851 HARRAH RD	HARRAH	10/29/2009	Routine Inspection	0/0
HARRISON MIDDLE SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	10/29/2009	Routine Inspection	0/0
HIGHWAY ESPRESSO	Espresso Stand	10118 U.S. HIGHWAY 12	NACHES	10/21/2009	Routine Inspection	0/10
IXTAPA RESTAURANT	Restaurant	311 "B" STREET	MABTON	10/28/2009	Routine Inspection	The Ixtapa restaurant meets minimum code to operate the owner's three level 2 mobile units. The Ixtapa restaurant is currently operating as a commissary kitchen and not a full service restaurant. If Ixtapa restaurant resumes restaurant hours and service, more refrigeration must be obtained.
JEAN'S COTTAGE INN	Restaurant/Catering	3211 MAIN ST	UNION GAP	10/13/2009	Routine Inspection	0/0
JENNY MAE'S GLUTEN - FREE GOODIES	Bakery	8308 AHTANUM RD	YAKIMA	10/28/2009	Routine Inspection	0/0
JOHNSON ORCHARDS	Juice Bar	4906 SUMMITVIEW AV	YAKIMA	10/16/2009	Routine Inspection	0/8

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
J'S ASIAN FLAMING GRILL 1	Restaurant	4007 TERRACE HTS. DR.	YAKIMA	10/15/2009	Follow-Up Inspection	0/0
J'S ASIAN FLAMING GRILL III	Restaurant	606 S 36TH AVE	YAKIMA	10/28/2009	Routine Inspection	5/13 Improperly hot holding PHF
KENTUCKY FRIED CHICKEN	Restaurant	108 & 110 40TH AV N	YAKIMA	10/28/2009	Routine Inspection	5/8 Missing FWC
KUKI - MART	Mini-mart	401 S ELM	TOPPENISH	10/12/2009	Follow-Up Inspection	Handwash sink has been fixed.
LIBERTY OIL MART	Mini-mart	1803 FRUITVALE BLVD	YAKIMA	10/22/2009	Routine Inspection	45/58 Missing FWCs, hands not washed as required, improperly stocked hand wash sinks, no metal stem thermometer available, unlabeled chemical
MABTON HIGH & JUNIOR HIGH SCHOOL	School	500 E B STREET, MABTON	MABTON	10/22/2009	Routine Inspection	5/5 - Inaccurate metal stem thermometer.
MAJOR'S	Restaurant	1705 W. LINCOLN AVE.	YAKIMA	10/8/2009	Routine Inspection	25/25 - Room temperature storage of PHF.
MARISCOS IXTAPA # 1	Mobile		MABTON	10/7/2009	Complaint Inspection	Got a call from a licensed mobile that there was an unlicensed taco truck out in the orchards. The owner of this unlicensed mobile unit was found vending to the public at a local warehouse. This operation was closed.
				10/7/2009	Pre-Opening Inspection	Licensing requirements are now in compliance. This mobile unit will be using Ixtapa Restaurant in Mabton as commissary. Ok'd to open.
				10/28/2009	Pre-Opening Inspection	Sink has been installed. Ok to open.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARISCOS IXTAPA # 2	Mobile		MABTON	10/7/2009	Pre-Opening Inspection	They need to have a handwash sink installed in the mobile.
				10/28/2009	Opening Inspection	0/0
MARISCOS IXTAPA # 3	Mobile		MABTON	10/7/2009	Pre-Opening Inspection	They need to have a handwash sink installed in the mobile.
				10/28/2009	Opening Inspection	Approved hand washing sinks have been installed in mobile unit
MAX'S BAR & GRILL	Tavern	1107 S. 3RD STREET	YAKIMA	10/14/2009	Routine Inspection	35/46 Missing FWCs, PIC answered incorrectly, RTS of PHF
				10/22/2009	Follow-Up Inspection	10/10 Missing FWC, improperly hot holding PHF
MC DONALD'S	Restaurant	739 W. 1ST AVENUE	TOPPENISH	10/6/2009	Routine Inspection	15/15 Missing FWCs, improper chemical storage
MC DONALD'S RESTAURANT	Restaurant	2326 S. 1ST STREET - UNION GAP	UNION GAP	10/13/2009	Routine Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
MERCADO GUADALAJARA	Grocery Store	10 WASHINGTON AVE. SUITE "D"	TOPPENISH	10/28/2009	Routine Inspection	30/33 Queso fresco being stored at room temperature. Expired FWC's, improper thawing of PHF's.
MINDA LANES CAFE	Restaurant	701 S. 2ND STREET	YAKIMA	10/30/2009	Routine Inspection	20/25 Missing FWC, improper chemical storage
MOUNTAINVIEW ELEMENTARY SCHOOL	School	830 STONE RD	YAKIMA	10/16/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MT. CLEMANS CHEVRON	Mini-mart	9881 U.S. HWY. 12	NACHES	10/26/2009	Routine Inspection	5/5 - Food worker cards not available.
NACHES VALLEY PRIMARY SCHOOL	School	2700 OLD NACHES HWY	YAKIMA	10/21/2009	Routine Inspection	0/0
NEW HONG KONG RESTAURANT	Restaurant	918 W. HIGHWAY 12	GRANDVIEW	10/9/2009	Routine Inspection	25/25 PHF at RTS
NEW HOPE INDUSTRIES	Catering	1224 N 1ST ST	YAKIMA	10/29/2009	Routine Inspection	0/0
NEW THAI RESTAURANT	Restaurant	4808 TIETON DRIVE.	YAKIMA	10/26/2009	Routine Inspection	35/35 missing/expired FWCs, improper hot holding, room temperature storage of PHF.
OUTLOOK ELEMENTARY SCHOOL	School	3800 VANBELLE ROAD	SUNNYSIDE	10/30/2009	Routine Inspection	0/0
PANADERIA LA MORENITA	Bakery	117 E WALNUT	YAKIMA	10/27/2009	Routine Inspection	15/20 FWC's missing, no hot water in restroom (hot water valve was turned off), unlabeled cheese.
PEKING PALACE	Restaurant/Lounge	610 N. 1ST STREET	YAKIMA	10/6/2009	Follow-Up Inspection	75/83 Improperly hot holding PHF, PHF stored at room temperature, BHC of RTE food, unlabeled chemical
				10/14/2009	Compliance Inspection	15/15 BHC of RTE food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
PIK-A-POP # 11	Mini-mart	1530 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	10/27/2009	Routine Inspection	35/45 PIC answered incorrectly, missing FWCs, improperly stocked hand wash sink and blocked hand wash sink, no metal stem thermometer available, improper chemical storage
PIONEER ELEMENTARY SCHOOL	School	2101 E. LINCOLN	SUNNYSIDE	10/29/2009	Routine Inspection	0/0
PIZZA HUT #23	Restaurant	3915 N. KERN ROAD	YAKIMA	10/5/2009	Routine Inspection	35/40 inadequate hand wash facility, improper hot holding of PHF, dishwasher temp gauge not working.
PLANET JOE'S ESPRESSO	Espresso Stand	900 W. WINE COUNTRY RD.	GRANDVIEW	10/30/2009	Routine Inspection	10/12 One gallon milk past pull date
QUIZNO'S SUB	Restaurant	5603 SUMMITVIEW #102	YAKIMA	10/12/2009	Routine Inspection	5/11 Missing FWCs
RAY'S RETAIL MEATS	Meat Market	2109 S 3RD AVE.	UNION GAP	10/14/2009	Routine Inspection	15/17 Missing FWCs, unlabeled chemical
RED ROOSTER BAR & GRILL	Restaurant/Catering	519 S. 1ST STREET	SELAH	10/8/2009	Routine Inspection	5/5 - Missing some food worker cards.
RICOS TACOS AYLIN	Mobile	111 N. 6th Street in Sunnyside	SUNNYSIDE	10/14/2009	Follow-Up Inspection	They have corrected all problems from previous inspections.
RITE AID # 5297	Grocery Store	2519 MAIN STREET	UNION GAP	10/27/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RITE AID # 5300	Grocery Store	2010 YAKIMA VALLEY HWY,SUITE C-1	SUNNYSIDE	10/21/2009	Routine Inspection	0/0
RIVERSIDE CHRISTIAN SCHOOL	Snack Bar	721 KEYES	YAKIMA	10/28/2009	Routine Inspection	30/40 PHF at RTS, missing FWCs
ROADRUNNER	Mini-mart	705 W. 1ST STREET	WAPATO	10/16/2009	Routine Inspection	25/25 improper hot holding of PHF
ROBERT S. LINCE ELEMENTARY SCHOOL	School	316 W NACHES	SELAH	10/15/2009	Routine Inspection	0/0
ROSAUERS FOOD AND DRUG CENTER #39	Grocery Store	410 S. 72ND AVENUE	YAKIMA	10/12/2009	Routine Inspection	25/28 Missing FWCs, improperly hot holding PHF, no metal stem thermometer available in butcher block, unlabeled chemicals, improperly stored chemicals
RUBEN'S TORTILLERIA	Bakery	1518 S. 1ST STREET	YAKIMA	10/26/2009	Routine Inspection	65/75 PIC unable to demonstrate basic food safety knowledge, employees missing FWC's, improper cooling methods, room temperature storage. Follow-up required.
SAFEWAY # 1660	Grocery Store	905 E. MEAD	YAKIMA	10/30/2009	Routine Inspection	35/53 Missing FWCs, improperly stocked hand wash sinks, improperly cold holding PHF, improper chemical storage
SAFEWAY # 563	Grocery Store	613 S. 6TH STREET	SUNNYSIDE	10/20/2009	Routine Inspection	35/50 BHC with RTE foods, expired FWC's, improper reheating of PHF's. Follow up required.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SANTIAGOS	Restaurant/Catering	111 E YAKIMA AVE.	YAKIMA	10/16/2009	Routine Inspection	60/60 FWCs were not available, BHC of RTE foods, PHF at RTS, improperly reheated PHF for hot holding
				10/22/2009	Follow-Up Inspection	0/0
SELAH INTERMEDIATE SCHOOL	School	1401 W. FREMONT	SELAH	10/15/2009	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - SUNNYSIDE SENIOR CENTER		1400 FEDERAL WAY	SUNNYSIDE	10/30/2009	Routine Inspection	35/35 Improperly hot holding PHF, inaccurate dial stem thermometer, missing FWC
SENIOR NUTRITION PROGRAM - NACHES LIONS (ST.JOHN'S PARISH)		206 MOXEE AVENUE	NACHES	10/21/2009	Routine Inspection	0/0
SIERRA VISTA MIDDLE SCHOOL	School	616 N. 16TH ST.	SUNNYSIDE	10/30/2009	Routine Inspection	0/0
SMITTY'S MARKET & DELICATESSAN	Mini-mart	3508 FRUITVALE BLVD.	YAKIMA	10/19/2009	Routine Inspection	25/30 Hands not washed as required, improperly cold holding PHF with ice
SPIRIT MART	Mini-mart	102 E TOPPENISH AVE.	TOPPENISH	10/27/2009	Routine Inspection	30/42 FWCs were not available, blocked hand wash sink, no metal stem thermometer available, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SQUAW ROCK RESORT & RESTAURANT	Restaurant	15070 SR410	NACHES	10/30/2009	Routine Inspection	35/38 - Handwash sink not accessible and eggs on the counter at 72 degrees.
SUBWAY # 36788	Restaurant	210 S. 72ND AVE. SUITE # 100	YAKIMA	10/9/2009	Routine Inspection	5/10 Missing FWCs, no sanitizer available during inspection, small fruit fly problem but steps are being taken to control flies and minimize food exposure.
SUBWAY # 5078-01 (WAL-MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	10/9/2009	Pre-Opening Inspection	approved to open once hot water is available for handwash sinks.
SUN MART # 21	Mini-mart	10173 HWY 12	NACHES	10/21/2009	Routine Inspection	5/5 - Metal stem thermometer not available.
SUN VALLEY ELEMENTARY	School	1220 N. 16TH STREET	SUNNYSIDE	10/29/2009	Routine Inspection	0/0
SUNBURST VIDEO	Snack Bar	201 AVE. "F"	GRANDVIEW	10/2/2009	Routine Inspection	10/10 - Takes several minutes to get hot water to all sinks.
SUNDQUIST CAFE	Espresso Stand	1015 S. 16TH AVE.	YAKIMA	10/16/2009	Routine Inspection	15/15 FWCs were not available, blocked hand wash sink
SUNNYSIDE HIGH SCHOOL	School	16TH & EDISON AVE	SUNNYSIDE	10/30/2009	Routine Inspection	0/5 dishwasher not sanitizing
T.W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	10/21/2009	Routine Inspection	40/55 Missing FWC, improperly stocked hand wash sink, improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TACO BELL - SELAH	Restaurant	805 NORTHPARK DR.	SELAH	10/5/2009	Routine Inspection	5/5 - Food worker cards were not available.
TAQUERIA DIANA	Mobile	330 NORTH STREET - MABTON	MABTON	10/9/2009	Routine Inspection	30/35 missing FWCs, improper hot holding of PHF, no sanitizer available during inspection
TAQUERIA EL TAPATIO	Mobile	605 E NOB HILL BLVD (DON PANCHOS PARKING LOT)	YAKIMA	10/26/2009	Routine Inspection	Taco truck being parked at home. If found again, he will be shut down and an office conference will be needed.
TAQUERIA LOS PRIMOS # 2	Mobile	404 N. 1ST ST. - YAKIMA	YAKIMA	10/15/2009	Follow-Up Inspection	15/15 They have corrected items from previous inspection. Bare hand contact w/RTE foods observed.
TERIYAKI EXPRESS	Restaurant	2695 E. LINCOLN AVE # E	SUNNYSIDE	10/21/2009	Routine Inspection	75/83 Missing FWC, improperly cooling PHF, PHF at RTS, inaccurate metal stem thermometer, unlabeled chemicals
				10/30/2009	Follow-Up Inspection	35/35 Improperly cooling PHF, missing FWC
THE COFFEE MAKER & ESPRESSO	Espresso Stand	1526 S. 18TH STREET	YAKIMA	10/12/2009	Routine Inspection	0/5
THE GAME BAR & GRILL	Restaurant/Lounge	1102 W NOB HILL BLVD.	YAKIMA	10/6/2009	Routine Inspection	15/15 missing FWCs, inadequate handwash facilities in kitchen area
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE	10/30/2009	Routine Inspection	60/68 Missing FWCs, improperly stocked hand wash sink, no documentation of time as control, improperly cold holding PHF, unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
UNION GAP MIDDLE SCHOOL	School	3201 S. 4TH ST.	UNION GAP	10/16/2009	Routine Inspection	0/0
UNION GOSPEL MISSION	Restaurant	1300 N. 1ST STREET	YAKIMA	10/16/2009	Routine Inspection	25/25 Unlabeled chemical, improper chemical storage, improperly stocked hand wash sink, FWCs were not available
VICTORIA CONTENINTAL	Restaurant/Catering	5605 TIETON DR.	YAKIMA	10/6/2009	Routine Inspection	15/20 - Food worker card not available and no paper towels at hand wash sink in the kitchen.
WALGREENS # 12053	Grocery Store	6400 W. NOB HILL BLVD.	YAKIMA	10/28/2009	Pre-Opening Inspection	Approved to open.
WALKABOUT CREEK SALOON	Restaurant/Lounge	9990 U.S. HWY. 12	NACHES	10/26/2009	Routine Inspection	35/43 - PIC was not knowledgeable of food safety, 7 of 8 workers need FWC, bare hand contact with ready-to-eat food, handwash sink in kitchen was not accessible.
WALLY'S DEN	Snack Bar - Seasonal	1103 S. WASCO	WAPATO	10/12/2009	Routine Inspection	10/10 Missing FWCs, PIC answered incorrectly
WAL-MART SUPERCENTER, STORE # 5078-01 (NOB HILL BLVD.)	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	10/9/2009	Pre-Opening Inspection	approved to open.
WASHINGTON ELEMENTARY SCHOOL	School	800 JACKSON	SUNNYSIDE	10/28/2009	Routine Inspection	0/5 insufficient sanitizing temp on dishwasher

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WEST VALLEY DAIRY QUEEN	Restaurant	7410 W. NOB HILL BLVD.	YAKIMA	10/12/2009	Follow-Up Inspection	Adequate lighting still needed, all other problems have been corrected.
WESTSIDE MARKET	Mini-mart	500 E EUCLID	GRANDVIEW	10/9/2009	Routine Inspection	25/25 Missing FWCs, improperly stocked hand wash sinks, inaccurate metal stem thermometer, PIC answered incorrectly
WHITE HOUSE CAFE	Restaurant	3602 KERN ROAD	YAKIMA	10/13/2009	Routine Inspection	50/50 Missing FWC, inaccurate metal stem thermometer, improper chemical storage, improperly cooling PHF
				10/28/2009	Follow-Up Inspection	10/10 Missing FWC, inaccurate metal stem thermometer
WHITE SWAN HIGH SCHOOL	School	621 SIGNAL PEAK	WHITE SWAN	10/29/2009	Routine Inspection	0/0
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE, L.L.C.	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	10/30/2009	Routine Inspection	25/46 One gallon milk past pull date, FW did not wash hands before putting on gloves
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	10/28/2009	Routine Inspection	50/71 PIC answered incorrectly, FW did not wash hands before putting on gloves, improperly stocked hand wash sink, improperly hot holding PHF
XOCHIMILICO MEXICAN RESTAURANT	Restaurant/Catering	2304 W. NOB HILL BLVD.	YAKIMA	10/12/2009	Catering Routine Inspection	Catering at Wapato Tamale Fest. No problems

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA COUNTY DEPARTMENT OF FOOD SERVICES	Jail	1711 ENGLEWOOD AVE.	YAKIMA	10/8/2009	Routine Inspection	5/10 improper hot holding of PHF, dishwasher not properly sanitizing
YAKIMA VALLEY TECHNICAL SKILLS CENTER	Chef's School	1120 S. 18TH ST.	YAKIMA	10/2/2009	Opening Inspection	Approved to open once payment is made and dishwasher is working properly.