

# Monthly Food Inspection Report

**SPECIAL NOTES:**

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

**Abbreviations**

- BHC:** Bare Hand Contact
- DOH:** Washington State Department of Health
- FDA:** Food and Drug Administration
- FWC:** Food Worker Card
- HACCP:** Hazard Analysis Critical Control Point
- PHF:** Potentially Hazardous Food
- PIC:** Person in Charge
- ROP:** Reduced Oxygen Packaging
- RTE:** Ready to Eat
- RTS:** Room Temperature Storage
- USDA:** United States Department of Agriculture
- WAC:** Washington Administrative Code
- WSDA:** Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
ABBY'S LEGENDARY PIZZA OF YAKIMA # 57	Restaurant	4804 TIETON DR	YAKIMA	11/2/2009	Routine Inspection	5/5 Missing FWCs
ADAMS ELEMENTARY	School	723 S. 8TH ST.	YAKIMA	11/12/2009	Routine Inspection	0/5
ALLEN'S MARKET	Mini-mart	160 S. WAPATO RD.	WAPATO	11/5/2009	Routine Inspection	0/5
AM/PM	Mini-mart	1601 W WASHINGTON AVE.	YAKIMA	11/5/2009	Routine Inspection	30/30 - 4 of 5 workers need food worker cards and handwash sink was leaking and water was turned off.
ARTHUR H. SMITH ELEMENTARY SCHOOL	School	205 FIR ST.	GRANDVIEW	11/20/2009	Routine Inspection	0/5 insufficient dish washer sanitizing temperature

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BARGE-LINCOLN ELEMENTARY SCHOOL	School	219 E. "I" ST.	YAKIMA	11/18/2009	Routine Inspection	0/5
BEEM'S NUTRITION AT CHESTERLY PARK	Grocery Store	3715 W RIVER ROAD	YAKIMA	11/10/2009	Routine Inspection	0/0
BERT'S PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	11/18/2009	Routine Inspection	50/53 Missing FWCs, hands not washed as required, improperly cooling PHF
BIGG O'S DELI & ESPRESSO	Espresso Stand/Deli	503 W. 1ST.	WAPATO	11/17/2009	Routine Inspection	0/5 There was no sanitizer available.
BILL'S FAMILY RESTAURANT	Restaurant	704 W 1ST ST.	WAPATO	11/6/2009	Routine Inspection	50/63 Food worker did not wash hands after handling raw meat, no paper towels at hand wash sink, improperly cold holding PHF, improper chemical storage, raw meat stored above RTE food
				11/13/2009	Follow-Up Inspection	0/5
BOB'S BURGERS & BREW	Restaurant/Lounge	121 N. FAIR AVE	YAKIMA	11/4/2009	Pre-Opening Inspection	Approved to open.
BOOMER'S BAR & GRILLE	Restaurant/Catering	1719 S 1ST ST	YAKIMA	11/10/2009	Follow-Up Inspection	50/58 - No paper towels at handwash sink in the kitchen, container of pooled eggs in the refrigerator, improper cooling, and kitchen is dirty.
BURGER KING	Restaurant	2611 W NOB HILL	YAKIMA	11/12/2009	Routine Inspection	10/18 Improper chemical storage

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
CHINA GROVE	Restaurant	3210 PICARD PLACE	SUNNYSIDE	11/5/2009	Compliance Inspection	0/0
CHINA WOK	Restaurant	613 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/5/2009	Follow-Up Inspection	0/5
CLARENCE MCCLURE ELEMENTARY	School	811 W. 2ND STREET	GRANDVIEW	11/20/2009	Routine Inspection	0/0
COFFEE AT CREEKSIDE	Espresso Stand	3908 CREEKSIDE LOOP # 130	YAKIMA	11/9/2009	Routine Inspection	0/0
COMFORT SUITES	Snack Bar	3702 FRUITVALE BLVD.	YAKIMA	11/12/2009	Routine Inspection	5/5 PIC answered incorrectly
COMPASS ALTERNATIVE HIGH SCHOOL	School	913 W. 2ND	GRANDVIEW	11/20/2009	Routine Inspection	0/5 Broken temp gauge on dishwasher
CROSSROADS MARKET	Snack Bar	4641 N. TRACK RD.	WAPATO	11/6/2009	Routine Inspection	20/28 Metal stem thermometer dial not legible, unlabeled chemicals, missing FWC
DALILAH'S KITCHEN	Commissary	1909 MCNAIR AVE	UNION GAP	11/10/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
DALILAH'S ROLLING RESTAURANT	Mobile	Mon. - Fri., Olympic Fruit in Moxee - 8:30 - 9:30am; Roche Fruit 10:00 - 10:30am; Washington Fruit - 11:00 - 11:30am; Franks Tire - Union Gap - 12:30 - 1:00pm, Wed., Thurs. - La Salle - 11:40 - 12:10 pm; Mon., Tues., Fri. - Magic Metals - 12:00 - 12:20pm	YAKIMA	11/10/2009	Routine Inspection	0/0
DISCOVERY LAB SCHOOL	School	2810 CASTLEVALE RD	YAKIMA	11/16/2009	Routine Inspection	0/0
DOLLAR TREE STORE # 2753	Grocery Store	2660 YAKIMA VALLEY HWY	SUNNYSIDE	11/16/2009	Routine Inspection	0/5
EAGLE HIGH SCHOOL	School	143 WARD RD	TOPPENISH	11/6/2009	Routine Inspection	0/0
EAST VALLEY MARKET	Mini-mart	7208 POSTMA RD.	YAKIMA	11/10/2009	Routine Inspection	75/87 Improperly stocked hand wash sink, improperly cooling PHF, improperly hot holding PHF, unlabeled chemical, improper chemical storage
				11/17/2009	Follow-Up Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL CHARRITO #2	Restaurant	2695 E. LINCOLN - BAY "F"	SUNNYSIDE	11/30/2009	Routine Inspection	10/18 inaccessible handwashing sink, food stored on floor, improper thawing of PHF
EL TACO LOCO	Restaurant	19 W YAKIMA AVE.	YAKIMA	11/17/2009	Routine Inspection	40/40 Improperly stocked hand wash sink, improperly cooling PHF
FIFTH AVE DELI	Deli	415 W. WALNUT	YAKIMA	11/19/2009	Routine Inspection	55/58 Missing FWC, RTS of PHF, improperly cold holding PHF, inaccurate metal stem thermometer, improper chemical storage
FIFTH AVE. ONE STOP	Mini-mart	701 N. 5TH AVE.	YAKIMA	11/2/2009	Routine Inspection	20/35 Metal stem thermometer was not legible, missing FWC, no paper towels at hand wash sink
GARFIELD ELEMENTARY	School	612 N. 6TH AVE	YAKIMA	11/19/2009	Routine Inspection	0/0
GARFIELD ELEMENTARY SCHOOL	School	505 MADISON AV	TOPPENISH	11/5/2009	Routine Inspection	0/0
GIBBONS SODA FOUNTAIN	Snack Bar	113 TOPPENISH AVE.	TOPPENISH	11/5/2009	Routine Inspection	55/68 Missing FWC, hands not washed as required, BHC of RTE, blocked and improperly stocked hand wash sink, unlabeled chemical
				11/20/2009	Follow-Up Inspection	30/30 Improperly cooling PHF
GOLD CREEK STATION	Restaurant	18431 STATE RT 410	NACHES	11/2/2009	Routine Inspection	55/60 - Several workers need food worker cards, BHC with RTE food, and eggs on counter at 65 degrees

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
GOLDEN MOON RESTAURANT	Restaurant	1406 N 1ST ST	YAKIMA	11/3/2009	Routine Inspection	70/91 Missing FWC, improperly stocked hand wash sink, improperly cooling PHF, RTS for PHF
				11/10/2009	Follow-Up Inspection	25/33 Hands not wash as required, improperly stocked hand wash sink
GOOSE PRAIRIE INN	Restaurant	8260 BUMPING RIVER RD.	GOOSE PRAIRIE	11/2/2009	Routine Inspection	15/20 - Bare hand contact with ready-to-eat food.
GRANDVIEW HIGH SCHOOL	School	1601 W. 5TH ST.	GRANDVIEW	11/20/2009	Routine Inspection	10/15 inadequate hand wash station, dishwasher temp gauge not working
GRANDVIEW MIDDLE SCHOOL	School	1401 W. 2ND ST.	GRANDVIEW	11/20/2009	Routine Inspection	0/0
GRANGER HIGH SCHOOL	School	315 MENTZER AVE	GRANGER	11/30/2009	Routine Inspection	0/0
GRANGER MIDDLE SCHOOL	School	501 BAILEY AVENUE	GRANGER	11/30/2009	Routine Inspection	0/0
HARRIETT THOMPSON ELEMENTARY SCHOOL	School	1105 W. 2ND ST.	GRANDVIEW	11/20/2009	Routine Inspection	0/0
HICKORY FARMS # 40117	Deli	2529 MAIN ST. # 183	UNION GAP	11/6/2009	Pre-Opening Inspection	Approved to operate this year. Commissary is Sabarro's in the food court in the Valley Mall.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HIGHLAND HIGH SCHOOL	School	17000 SUMMITVIEW	COWICHE	11/18/2009	Routine Inspection	0/0
HILTON GARDEN INN	Restaurant/Catering	401 E YAKIMA AVE	YAKIMA	11/10/2009	Routine Inspection	0/0
HOLIDAY INN YAKIMA DOWNTOWN CONVENTION CENTER	Restaurant/Lounge	802 YAKIMA AVE	YAKIMA	11/23/2009	Pre-Opening Inspection	Facility ok'd to open after a few small items are fixed - see report in imaging
JITTER BUG ESPRESSO	Espresso Stand	11 PENCE RD	YAKIMA	11/12/2009	Routine Inspection	5/18 Missing FWCs
JOHN CAMPBELL ELEMENTARY SCHOOL	School	408 N. 1ST ST	SELAH	11/6/2009	Routine Inspection	0/0
KIRKWOOD ELEMENTARY SCHOOL	School	403 S. JUNIPER	TOPPENISH	11/6/2009	Routine Inspection	0/0
K-MART LITTLE CAESAR'S PIZZA STATION	Restaurant	2304 E NOB HILL BLVD	YAKIMA	11/4/2009	Routine Inspection	10/16 Mislabeled chemical, improper chemical storage
L & L DRIVE IN	Restaurant	645 E. WINE COUNTRY RD.	GRANDVIEW	11/12/2009	Routine Inspection	5/9 - Food worker card needed.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
LA MORELENSE, SUPER MINI	Restaurant	302 MAIN STREET	GRANGER	11/20/2009	Routine Inspection	10/15 No cold water available in restroom. No labels on repackaged cheese packets.
LA VICTORIA'S B.B.Q. STORE	Restaurant	303 S. 13TH STREET	SUNNYSIDE	11/17/2009	Routine Inspection	30/33 - Improper cooling of rice and improper thawing.
LAS FOGATAS	Restaurant/Lounge	1204 YAKIMA VALLEY HWY.	SUNNYSIDE	11/25/2009	Routine Inspection	0/0
LIBERTY OIL MART	Mini-mart	1803 FRUITVALE BLVD	YAKIMA	11/2/2009	Follow-Up Inspection	35/35 PIC answered incorrectly, missing FWCs, improperly stocked hand wash sink, refrigeration is more than 41 degrees F, unlabeled chemical
				11/9/2009	Compliance Inspection	15/15 Missing FWC, blocked hand wash sink
LINCOLN ELEMENTARY SCHOOL	School	309 N. ALDER ST.	TOPPENISH	11/6/2009	Routine Inspection	10/10 Hand wash sink issues
M & M CATERING SERVICES	Catering	10 N. 8TH STREET	YAKIMA	11/6/2009	Routine Inspection	55/58 Improperly cooling PHF, missing FWCs, no hot water at employees restroom hand wash sinks, unlabeled chemicals
				11/12/2009	Follow-Up Inspection	45/45 Improperly stocked hand wash sinks, missing FWCs, improperly cooling PHF
				11/19/2009	Compliance Inspection	10/10 No soap at kitchen and men's employee restroom hand wash sinks

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MARCUS WHITMAN COWICHE ELEMENTARY SCHOOL	School	1181 THOMPSON RD	COWICHE	11/16/2009	Routine Inspection	0/0
MC DONALD'S	Restaurant	5910 SUMMITVIEW AVE	YAKIMA	11/9/2009	Routine Inspection	15/20 Missing FWCs, improperly stocked hand wash sinks
McCLURE ELEMENTARY SCHOOL	School	1222 S. 22ND AVE	YAKIMA	11/16/2009	Routine Inspection	0/0
McKINLEY ELEMENTARY SCHOOL	School	621 S. 13TH AVE	YAKIMA	11/16/2009	Routine Inspection	0/0
MEL'S DINER	Restaurant	314 N. 1ST STREET	YAKIMA	11/13/2009	Routine Inspection	45/45 Missing FWCs, improperly stocked hand wash sink, hands not washed as required, BHC of RTE foods
MERCADO LOS AMIGOS	Grocery Store	1409 FRUITVALE BLVD.	YAKIMA	11/19/2009	Routine Inspection	30/35 One employee missing FWC, queso fresco (soft cheese) being stored out at room temp, onions being stored on the floor.
MOJO'S ESPRESSO	Espresso Stand	1003 W YAKIMA AVE	YAKIMA	11/19/2009	Routine Inspection	0/3
MY BROTHER'S PLACE	Mini-mart	810 W. 1ST AVE.	TOPPENISH	11/5/2009	Routine Inspection	0/5

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
NACHES VALLEY HIGH SCHOOL	School	101 W. 5TH ST.	NACHES	11/20/2009	Routine Inspection	5/5 - Metal stem thermometer was not accurate.
NACHES VALLEY INTERMEDIATE SCHOOL	School	101 SHAFER AVENUE	NACHES	11/20/2009	Routine Inspection	0/0
NACHES VALLEY MIDDLE SCHOOL	School	32 SHAFER AVENUE	NACHES	11/20/2009	Routine Inspection	0/0
NOB HILL ELEMENTARY SCHOOL	School	801 S. 34TH AVE	YAKIMA	11/30/2009	Routine Inspection	0/0
OASIS 100% NATURAL	Juice Bar	1704 MEAD AVE	UNION GAP	11/24/2009	Pre-Opening Inspection	Several items required before opening - see report in imaging
PAPA MURPHY'S PIZZA	Restaurant	4040 TERRACE HEIGHTS DR	YAKIMA	11/2/2009	Routine Inspection	5/15 Refrigeration more than 41 degrees F
PIK-A-POP # 11	Mini-mart	1530 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/20/2009	Follow-Up Inspection	5/15 Missing FWCs
RAJ & CO.	Mini-mart	4708 TIETON DR	YAKIMA	11/3/2009	Routine Inspection	10/13 - No paper towels available for handwash sink in kitchen or employee restroom.
RAY'S RETAIL MEATS	Meat Market	2109 S 3RD AVE.	UNION GAP	11/2/2009	Follow-Up Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RED LION HOTEL YAKIMA CENTER	Restaurant/Lounge	607 E YAKIMA AVE.	YAKIMA	11/9/2009	Routine Inspection	100/105 Missing FWC, hands not washed as required, improperly stocked hand wash sink, improperly cooling PHF, RTS for PHF, improperly cold holding PHF
				11/18/2009	Follow-Up Inspection	0/8
RIMROCK STORE	Grocery Store	34090 HWY 12	NACHES	11/5/2009	Routine Inspection	0/0
ROBERTSON ELEMENTARY SCHOOL	School	2807 W. LINCOLN	YAKIMA	11/30/2009	Routine Inspection	0/5
ROOSEVELT ELEMENTARY	School	120 N. 16TH AVE	YAKIMA	11/19/2009	Routine Inspection	0/0
ROOSEVELT ELEMENTARY SCHOOL	School	405 BAILEY AVE.	GRANGER	11/30/2009	Routine Inspection	0/0
SAFEWAY # 1660	Grocery Store	905 E. MEAD	YAKIMA	11/12/2009	Follow-Up Inspection	15/25 Missing FWC, improperly cold holding PHF
				11/19/2009	Compliance Inspection	5/5 Improperly cold holding PHF
SAVANNAH DESERT ESPRESSO	Espresso Stand	417 HIWAY 12	SUNNYSIDE	11/20/2009	Routine Inspection	40/45 No paper towels at handwash, only one FWC, employees must wash hands after handling money and prior to preparing foods, improper cold holding, no sanitizer.
SELAH HIGH SCHOOL	School	801 N FIRST	SELAH	11/6/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SELAH JUNIOR HIGH SCHOOL	School	411 N. 1ST ST.	SELAH	11/6/2009	Routine Inspection	0/0
SENIOR NUTRITION PROGRAM - SUNNYSIDE SENIOR CENTER		1400 FEDERAL WAY	SUNNYSIDE	11/16/2009	Follow-Up Inspection	0/0
SEOUL TERI - HOUSE	Restaurant	8 N 7TH AVE.	YAKIMA	11/2/2009	Routine Inspection	20/30 Blocked hand wash sink, unlabeled chemical
SHIRLEY'S CAKES	Bakery	10 ECHO CT	YAKIMA	11/3/2009	Routine Inspection	0/0
SKIPPER'S SEAFOOD & CHOWDER HOUSE	Restaurant	2150 YAKIMA VALLEY HIGHWAY	SUNNYSIDE	11/20/2009	Routine Inspection	5/5 No thermometer available to cook.
ST. PAUL CATHEDRAL SCHOOL	School	1214 W. CHESTNUT	YAKIMA	11/17/2009	Routine Inspection	0/0
STANTON HIGH SCHOOL	School	901 N. WHITMAN ST.	YAKIMA	11/12/2009	Routine Inspection	0/0
SUBWAY # 5078-01 (WAL-MART)	Restaurant	6600 W. NOB HILL BLVD.	YAKIMA	11/30/2009	Routine Inspection	30/38 Missing FWCs, Hands not washed as required, improperly stocked hand wash sink
SUGAR SHACK # 2	Espresso Stand	1502-B SUMMITVIEW	YAKIMA	11/2/2009	Routine Inspection	10/20 No paper towels at hand wash sinks

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	11/4/2009	Follow-Up Inspection	25/30 Improperly hot holding PHF
				11/13/2009	Compliance Inspection	25/25 Improperly hot holding PHF
TACO DEL MAR	Restaurant	1300 N. 40TH AVE. # 107 - YAKIMA	YAKIMA	11/17/2009	Routine Inspection	45/50 Improperly hot holding PHF, PIC answered incorrectly, improperly stocked hand wash sink, inaccurate metal stem thermometer
TACOS DEL NORTE	Mobile	401 S Wapato Ave. Wapato	WAPATO	11/17/2009	Routine Inspection	0/0 No problems
TACOS LAS BRASAS	Mobile - Seasonal	501 W. 1ST STREET	WAPATO	11/17/2009	Routine Inspection	new owner - will be closed Friday 11/19/09 unless new license is obtained.
TAQUERIA CHAPALA	Restaurant	1121 FRUITVALE BLVD.	YAKIMA	11/19/2009	Routine Inspection	0/0 No problems
TAQUERIA SAHUAYO #2 (SMALL TRUCK)	Mobile	BORTON'S 8:30-9:00 AM & EVANS 10:00-10:15 AM FRONTERAS DEL NORTHE NOON-7:30 PM	YAKIMA	11/9/2009	Surveillance Inspection	Truck is not parked in its approved location.
TASTE OF WASHINGTON	Winery	312 E. YAKIMA AVE.	YAKIMA	11/6/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
THE OUTPOST	Mini-mart	1825 WANETA RD.	SUNNYSIDE	11/13/2009	Follow-Up Inspection	25/25 No procedures available for time as control for potentially hazardous foods, cook time has not been recorded for time as control
				11/20/2009	Compliance Inspection	0/0
TIETON MIDDLE SCHOOL	School	711 FRANKLIN RD	TIETON	11/16/2009	Routine Inspection	0/5 dishwasher not sanitizing properly
TINY'S TAVERN	Tavern	501 W. 1ST STREET	WAPATO	11/5/2009	Routine Inspection	10/10 Unlabeled chemicals
TOPPENISH MIDDLE SCHOOL	School	104 GOLDENDALE	TOPPENISH	11/6/2009	Routine Inspection	0/5
TOPPENISH SENIOR HIGH SCHOOL	School	141 WARD RD	TOPPENISH	11/6/2009	Routine Inspection	0/0
TROPICAL HEAT ESPRESSO & DELI	Espresso Stand	1107 TIETON DR	YAKIMA	11/2/2009	Routine Inspection	35/40 Missing FWC, improperly cooling PHF
				11/10/2009	Follow-Up Inspection	35/40 Missing FWC, improperly cooling PHF
				11/20/2009	Compliance Inspection	0/0
TUCKER CELLARS	Winery	70 RAY RD.	SUNNYSIDE	11/17/2009	Routine Inspection	0/0
VALLEY VIEW ELEMENTARY	School	515 ZILLAH AVE	TOPPENISH	11/5/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WASHINGTON MIDDLE SCHOOL	School	510 S. 9TH ST.	YAKIMA	11/12/2009	Routine Inspection	0/0
WHISTLIN' JACK LODGE	Restaurant/Lounge	20800 HWY 410	NACHES	11/2/2009	Routine Inspection	15/15 Expired FWC's, HW sink needs paper towels.
WILLY D'S RESTAURANT & IDLE HOUR LOUNGE, L.L.C.	Restaurant/Lounge	GILBERT RD. - YAKIMA	YAKIMA	11/5/2009	Follow-Up Inspection	5/5 Missing FWC
WINDY POINT VINEYARDS	Winery	420 WINDY PT DR	WAPATO	11/6/2009	Routine Inspection	5/5 Missing FWC
WINES OF WASHINGTON YAKIMA TASTING ROOM AT WILRIDGE WINE	Winery	250 EHLER RD.	YAKIMA	11/19/2009	Routine Inspection	15/15 Missing FWCs, improperly stocked hand wash sink
WOK TERIYAKI	Restaurant	1601 E. WASHINGTON AVE. # 103	UNION GAP	11/3/2009	Follow-Up Inspection	0/16
YAKIMA CINEMA	Snack Bar	1305 N. 16TH AVE.	YAKIMA	11/18/2009	Routine Inspection	5/5 PIC answered incorrectly