

Monthly Food Inspection Report

SPECIAL NOTES:

IN THE NOTES PORTION OF THE REPORT THE FIRST NUMBER LISTED IS THE TOTAL POINTS FOR RED/HIGH RISK ITEMS FOUND . THE SECOND NUMBER IS THE TOTAL POINTS FOR HIGH RISK AND LOW RISK ITEMS.

HIGH RISK ITEMS ARE CORRECTED PRIOR TO THE COMPLETION OF THE INSPECTION. 35 OR MORE HIGH RISK POINTS OR 45 OR MORE TOTAL POINTS REQUIRES A FOLLOW-UP INSPECTION.

Abbreviations

BHC: Bare Hand Contact

DOH: Washington State Department of Health

FDA: Food and Drug Administration

FWC: Food Worker Card

HACCP: Hazard Analysis Critical Control Point

PHF: Potentially Hazardous Food

PIC: Person in Charge

ROP: Reduced Oxygen Packaging

RTE: Ready to Eat

RTS: Room Temperature Storage

USDA: United States Department of Agriculture

WAC: Washington Administrative Code

WSDA: Washington State Department of Agriculture

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
2 BUSY 2 COOK	Catering	6002 SUMMITVIEW	YAKIMA	12/1/2009	Routine Inspection	0/0 Owner is using KP Delivery for transporting and setting up food at catering sites.
901 PASTA	Restaurant/Catering	910 SUMMITVIEW AVE. SUITE # 7-A	YAKIMA	12/17/2009	Routine Inspection	10/21 PIC answered incorrectly, missing FWCs
A C DAVIS HIGH SCHOOL	School	212 S. 6TH AVE	YAKIMA	12/11/2009	Routine Inspection	0/5
ADAMS ELEMENTARY SCHOOL	School	1101 S. CAMAS AVE	WAPATO	12/17/2009	Routine Inspection	0/0
BALLESTERI'S CAFE	Espresso/Catering	4001 SUMMITVIEW AVE. # 3	YAKIMA	12/7/2009	Routine Inspection	45/53 - Eggs on the counter at 53 degrees, food worker preparing sandwich with bare hands, food worker card needed, several repeat items.

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
BAMBOO TERRACE	Restaurant	54 W NOB HILL	YAKIMA	12/17/2009	Routine Inspection	15/41 Missing FWCs, unlabeled chemical
BERT'S PUB	Restaurant/Lounge	5110 TIETON DR. # 100 - YAKIMA	YAKIMA	12/1/2009	Follow-Up Inspection	0/3
BEST WESTERN LINCOLN INN	Snack Bar	1614 N. 1ST STREET	YAKIMA	12/3/2009	Routine Inspection	15/31 Missing FWC, improperly stocked hand wash sink
BILL'S PLACE TAVERN	Tavern	206 S 3RD AVE.	YAKIMA	12/18/2009	Follow-Up Inspection	25/30 RTS of PHF
BLUE SKY MARKET	Grocery Store	116 CHEHALIS AVENUE	TOPPENISH	12/17/2009	Routine Inspection	35/35 BHC with RTE foods, improper re-heating of PHF's, inaccurate thermometer.
BOOMER'S BAR & GRILLE	Restaurant/Catering	1719 S 1ST ST	YAKIMA	12/7/2009	Compliance Inspection	30/30 - Improper cooling
CAMAS ELEMENTARY SCHOOL	School	910 S. CAMAS	WAPATO	12/17/2009	Routine Inspection	10/10 - No hot water in the staff restroom.
CLARION HOTEL	Restaurant/Catering	1507 N 1ST STREET	YAKIMA	12/8/2009	Complaint Inspection	15/15 No cockroaches visible. Pest control company sprayed last week. Waitress sink has hot water 154 F and no cold water. Cook hand wash sink used for thawing shrimp, no metal stem thermometer available.
COSTCO WHOLESALE #1013	Grocery Store	2310 LONGFIBER RD. - UNION GAP	UNION GAP	12/4/2009	Routine Inspection	5/5 Missing FWCs

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
COWNTRY CAFE'	Restaurant	428 S. "G" STREET	TOPPENISH	12/7/2009	Routine Inspection	New name and owner. They have 48 hrs to fill out paperwork. Follow up required.
D D EISENHOWER HIGH SCHOOL	School	702 S. 40TH AVE.	YAKIMA	12/2/2009	Routine Inspection	0/0
DAIRY QUEEN BRAZIER	Restaurant	403 W MAIN	GRANDVIEW	12/18/2009	Routine Inspection	15/15 - Several food worker cards needed and no paper towels at handwash sink in the kitchen.
DON'S DONUTS & JULIE'S JAVA	Bakery	1024 W. NOB HILL BLVD.	YAKIMA	12/23/2009	Routine Inspection	0/0
EAST VALLEY ELEMENTARY SCHOOL	School	1951 BEAUDRY RD	YAKIMA	12/10/2009	Routine Inspection	0/5 Dishwasher did not reach proper sanitizing levels
EAST VALLEY HIGH SCHOOL	School	1900 BEAUDRY	YAKIMA	12/10/2009	Routine Inspection	0/0
EL CAPORAL	Restaurant	109 E. NACHES AVE.	SELAH	12/2/2009	Routine Inspection	15/15 - Homemade cheese found in a refrigerator.
EL GALLO GIRO PANADERIA Y TAQUERIA	Restaurant	706 W 1ST ST	TOPPENISH	12/18/2009	Routine Inspection	0/0
EL PASTOR RESTAURANT	Restaurant	315 W. WALNUT	YAKIMA	12/8/2009	Routine Inspection	15/15 No soap at kitchen hand wash sink, missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
EL TACO LOCO	Restaurant	19 W YAKIMA AVE.	YAKIMA	12/11/2009	Follow-Up Inspection	5/5 Improperly hot holding PHF
EL VALLE FAMILY MEXICAN RESTAURANT	Restaurant	410 YAKIMA VLY HWY	SUNNYSIDE	12/1/2009	Routine Inspection	15/20 Improper cold holding temperature of walk in cooler, missing thermometer, 3 compartment sink leaks.
FIFTH AVE DELI	Deli	415 W. WALNUT	YAKIMA	12/11/2009	Follow-Up Inspection	No repeated out-of-compliance issues were observed during inspection.
FRANKLIN MIDDLE SCHOOL	School	410 S. 19TH AVE	YAKIMA	12/8/2009	Routine Inspection	0/0
GARCIA'S DRIVE - THRU	Restaurant/Catering	1027 W WINE COUNTRY RD.	GRANDVIEW	12/18/2009	Routine Inspection	35/38 - Improper cooling and food worker cards needed.
GILBERT ELEMENTARY SCHOOL	School	4400 DOUGLAS DRIVE	YAKIMA	12/9/2009	Routine Inspection	0/0
GOLDEN WHEEL RESTAURANT	Restaurant	11 S. 1ST STREET	YAKIMA	12/15/2009	Routine Inspection	30/41 - Improper cooling, kitchen needs a thorough cleaning, and no sanitizer for wiping rags in the kitchen.
GRANDVIEW HIGH SCHOOL DECA STORE	Snack Bar	1601 W. 5TH ST.	GRANDVIEW	12/4/2009	Routine Inspection	0/0
HICKORY FARMS # 40117	Deli	2529 MAIN ST. # 183	UNION GAP	12/11/2009	Routine Inspection	10/10 Unlabeled chemical

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
HILTON ELEMENTARY SCHOOL	School	211 4TH AVE	ZILLAH	12/9/2009	Routine Inspection	0/0
HOOVER ELEMENTARY SCHOOL	School	400 W. VIOLA	YAKIMA	12/9/2009	Routine Inspection	0/0
IGLESIA DEL VALLE ASSEMBLIES OF GOD		320 TOPPENISH AV E	TOPPENISH	12/18/2009	Routine Inspection	15/20 no gloves in food prep area, dish washer not sanitizing
IN & OUT MINI MART	Mini-mart	1513 TIETON DR	YAKIMA	12/1/2009	Routine Inspection	40/45 PIC answered incorrectly, improperly stocked hand wash sink, missing FWC, improperly hot holding PHF, no metal stem thermometer was available, improper chemical storage
				12/11/2009	Follow-Up Inspection	0/5
JAMES GANG TAVERN	Tavern	2101 S 3RD AVE	YAKIMA	12/16/2009	Routine Inspection	40/42 - No food worker cards, bare hand contact with ready-to-eat food, no hot water in women's restroom, raw meat stored on top of tortillas and hamburger buns, no metal stem thermometer, customer smoking in the facility.
KENTUCKY FRIED CHICKEN/A&W	Restaurant	1928 YAKIMA VALLEY HWY.	SUNNYSIDE	12/3/2009	Routine Inspection	0/3
KEOKI'S ORIENTAL RESTAURANT	Restaurant	2107 W LINCOLN AVENUE	YAKIMA	12/16/2009	Routine Inspection	40/64 BHC of RTE foods, RTS of PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
KERRI'S CAKES	Bakery	1370 NACHES-TIETON RD.	TIETON	12/24/2009	Routine Inspection	0/0
LA MAS BARATA	Meat Market	111 N 6TH ST. #A	SUNNYSIDE	12/22/2009	Routine Inspection	15/15 missing hand washing sink in kitchen area, inaccurate metal stem thermometer.
LA SUPER BAKERY (SUNNYSIDE)	Bakery	111 N. 6TH ST. # B	SUNNYSIDE	12/21/2009	Routine Inspection	5/12 One expired FWC, no sanitizer, hole in the wall that needs to be patched.
LEWIS & CLARK MIDDLE SCHOOL	School	1114 W. PIERCE ST	YAKIMA	12/4/2009	Routine Inspection	0/0
LEWISVILLE	Tavern	301 N. 6TH AVENUE	YAKIMA	12/8/2009	Routine Inspection	25/25 PIC answered incorrectly, missing FWCs, no metal stem thermometer available, unlabeled chemical
LITTLE DUTCH INN	Tavern	214 N 6TH AVE.	YAKIMA	12/1/2009	Routine Inspection	15/10 no soap at kitchen hand washing sink, food stored on floor
MARISCOS SANTA MARIA	Restaurant	633 EDISON	SUNNYSIDE	12/19/2009	Routine Inspection	25/25 inadequate hot holding of PHF
MEL'S DINER	Restaurant	314 N. 1ST STREET	YAKIMA	12/2/2009	Follow-Up Inspection	0/3
MICHAEL'S ALL - STAR PUB & EATERY	Tavern	402 S. 11TH AVE.	YAKIMA	12/7/2009	Routine Inspection	20/20 Missing FWCs, raw meat stored above ready to eat food, chemicals stored above food

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
MONGOLIAN GRILL	Restaurant	1628 E. WASHINGTON AVE.	YAKIMA	12/2/2009	Routine Inspection	25/31 Missing FWCs, PIC answered incorrectly, improperly cold holding PHF with ice, metal stem thermometer is broken
				12/18/2009	Follow-Up Inspection	10/10 PIC answered incorrectly, missing FWCs
MOXEE ELEMENTARY SCHOOL	School	408 E. SEATTLE - MOXEE	MOXEE	12/10/2009	Routine Inspection	0/0
NEW YORK TERIYAKI	Restaurant	3710 FRUITVALE BLVD.	YAKIMA	12/17/2009	Routine Inspection	15/26 Food from unapproved source
ORCHARD PARK	Retirement Housing	620 N. 34TH AVENUE	YAKIMA	12/28/2009	Routine Inspection	30/32 - Improper cooling
PACE ALTERNATIVE HIGH SCHOOL	School	310 S. WASCO AVE	WAPATO	12/17/2009	Routine Inspection	0/0
PANDA EXPRESS RESTAURANT	Restaurant	1915 1ST ST S	YAKIMA	12/11/2009	Routine Inspection	0/0
PAPA BAIRD'S RESTAURANT	Restaurant	4108 TERRACE HTS. DR.	YAKIMA	12/14/2009	Routine Inspection	30/30 Improperly cooling PHF
REXFORD MANOR RETIREMENT COMMUNITY	Retirement Housing	1010 N. 34TH AVENUE	YAKIMA	12/14/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
RIDGEVIEW ELEMENTARY SCHOOL	School	609 W. WASHINGTON AVE	YAKIMA	12/4/2009	Routine Inspection	0/0
RITE AID # 4063	Grocery Store	12 N 9TH AVE.	YAKIMA	12/1/2009	Routine Inspection	0/0
RITE AID # 5296	Grocery Store	2204-B W. NOB HILL BLVD.	YAKIMA	12/3/2009	Routine Inspection	0/0
RITE AID # 5298	Grocery Store	5606 SUMMITVIEW AVE.	YAKIMA	12/10/2009	Routine Inspection	0/0
SAFEWAY # 1235	Grocery Store	2204-A W. NOB HILL BLVD.	YAKIMA	12/15/2009	Routine Inspection	35/46 Improperly cold holding PHF, missing FWCs, improperly stocked hand wash sinks, improper chemical storage
				12/17/2009	Follow-Up Inspection	0/0 (check deli dishwasher sanitizing during next routine inspection)
SAKURA TERIYAKI & SUSHI	Restaurant	2000 E. YAKIMA VALLEY HWY.	SUNNYSIDE	12/4/2009	Routine Inspection	30/30 FWCs missing and expired, improper hot holding of PHF
SALVATION ARMY	Restaurant	310 N 16TH AVE.	YAKIMA	12/3/2009	Routine Inspection	0/5 dishwasher not sanitizing properly
SECOND STREET GRILL	Restaurant/Lounge	28 N 2ND ST.	YAKIMA	12/8/2009	Routine Inspection	30/35 Improperly cold holding PHF in ice, one inaccurate metal stem thermometer, unlabeled chemicals, improper chemical storage, improperly hot holding PHF

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
SOUTHEAST COMMUNITY CENTER	Restaurant	1211 S. 7TH ST.	YAKIMA	12/18/2009	Routine Inspection	35/45 RTS of PHF, unlabeled chemicals
ST. JOSEPH - MARQUETTE SCHOOL	School	202 N. 4TH ST.	YAKIMA	12/9/2009	Routine Inspection	0/0
SUBWAY # 39961	Restaurant	2675 E. LINCOLN AVE.	SUNNYSIDE	12/11/2009	Routine Inspection	15/15 - No hot water in men's or women's restroom and 2 food workers need current food worker cards posted.
T. W. MARKET	Mini-mart	1143 TACOMA AVENUE	SUNNYSIDE	12/3/2009	Compliance Inspection	0/0
				12/10/2009	Compliance Inspection	0/0
				12/17/2009	Routine Inspection	0/0
				12/30/2009	Compliance Inspection	0/0
TACO BELL # 5088	Restaurant	1602 W. NOB HILL BLVD	YAKIMA	12/14/2009	Routine Inspection	5/8 Missing FWCs
TACO DEL MAR	Restaurant	1300 N. 40TH AVE. # 107 - YAKIMA	YAKIMA	12/1/2009	Follow-Up Inspection	0/0
TACOS MARIN	Mobile	320 E. Toppenish Ave. Toppenish	TOPPENISH	12/18/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
TAQUERIA LOS PRIMOS # 3	Restaurant	1001 N. 16TH AVE.	YAKIMA	12/2/2009	Routine Inspection	40/47 Improperly cooling PHF, improper chemical storage
				12/9/2009	Follow-Up Inspection	30/30 Improperly cooling beans at 18 inches. This was a repeat violation from the previous inspection. Compliance inspection needed.
TERRACE HEIGHTS ELEMENTARY	School	4209 TERRACE HEIGHTS DRIVE	MOXEE	12/11/2009	Routine Inspection	25/30 improper hot holding of PHF, dishwasher was not sanitizing
THE CAKE DECORATOR SHOPPE	Bakery	5609 SUMMITVIEW AVE	YAKIMA	12/11/2009	Pre-Opening Inspection	Minimum opening requirements met. License will be issued once payment is received.
THE JAMMER	Tavern	2310 RUDKIN RD.	UNION GAP	12/11/2009	Routine Inspection	20/20 PIC answered incorrectly, no metal stem thermometer available, unlabeled chemical
VALLEY BUFFET	Restaurant	507 1ST AVE.	ZILLAH	12/1/2009	Pre-Opening Inspection	Not ready yet, need to install air gaps.
				12/7/2009	Pre-Opening Inspection	
WAFFLE CAFFE	Restaurant	1510 N. 1ST STREET	YAKIMA	12/18/2009	Routine Inspection	70/83 Missing FWCs, hands not washed as required, BHC of RTE food, RTS of PHF, improperly cold holding PHF in ice
WALGREENS # 09911	Grocery Store	4001 SUMMITVIEW AVE. # 3	YAKIMA	12/4/2009	Routine Inspection	0/0

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
WAL-MART SUPERCENTER, STORE # 5078-01 (NOB HILL BLVD.)	Grocery Store	6600 W. NOB HILL BLVD.	YAKIMA	12/1/2009	Routine Inspection	15/15 Missing FWCs, improperly cold holding PHF
WAPATO HIGH SCHOOL	School	1103 S. WASCO AVE	WAPATO	12/17/2009	Routine Inspection	0/0
WAPATO MIDDLE SCHOOL	School	505 DOVE LANE	WAPATO	12/17/2009	Routine Inspection	0/0
WEST VALLEY BAR & GRILL	Tavern	1212 S. 80TH AVE.	YAKIMA	12/7/2009	Routine Inspection	25/39 PIC answered incorrectly, missing FWC, no paper towels or soap at bar hand wash sink, raw meat stored above ready to eat food
WESTPARK CHRISTIAN ACADEMY	School	3902 SUMMITVIEW AVE	YAKIMA	12/9/2009	Routine Inspection	0/0
WHITNEY ELEMENTARY SCHOOL	School	4411 W. NOB HILL BLVD	YAKIMA	12/2/2009	Routine Inspection	0/0
WILSON MIDDLE SCHOOL	School	902 S. 44TH AVE	YAKIMA	12/2/2009	Routine Inspection	0/0
WINGIN' IT, TYECAFE	Deli/Catering	11 W. YAKIMA AVE.	YAKIMA	12/22/2009	Routine Inspection	0/0
YAKIMA CHEVRON	Mini-mart	1001 N. 16TH AVE.	YAKIMA	12/2/2009	Routine Inspection	5/5 Missing FWC

Facility Name	Facility Type	Address	City	Inspection Date	Inspection Type	Notes
YAKIMA ELK'S LODGE # 318		GOLF COURSE RD.	SELAH	12/23/2009	Routine Inspection	0/0
YAKIMA SCHOOL OF THE ARTS	School	316 E. YAKIMA AVE.	YAKIMA	12/8/2009	Routine Inspection	0/0
YAKIMA VALLEY MEMORIAL HOSPITAL CATERING	Catering	2811 TIETON DR	YAKIMA	12/5/2009	Routine Inspection	0/3
ZILLAH FOOD CENTER	Grocery Store	145 1ST AVE.	ZILLAH	12/9/2009	Complaint Inspection	10/15 Pertaining to recent complaint: dishes stored in hand wash sink, mineral oil not labeled. Several foods that are past the sell by dates. No old meat observed put into new meat. No relabeling of cans or bottles noticed. No moldy or rotten foods observed.
ZILLAH HIGH SCHOOL	School	1602 2ND AVE	ZILLAH	12/9/2009	Routine Inspection	30/30 - Improper cooling
ZILLAH INTERMEDIATE SCHOOL	School	303 2ND AVE	ZILLAH	12/9/2009	Routine Inspection	0/0
ZILLAH MIDDLE SCHOOL	School	1301 CUTLER WAY	ZILLAH	12/9/2009	Routine Inspection	0/0